

2022
COLLECTION

Bianchi

ROAD

SPECIALISSIMA - DURA ACE DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBY5
COLOR	SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS/HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa N0.55R 1.5"/ACR/Bianchi Matt black , lower 1.5"- top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1 compresor
FORK	Full Carbon, 1.5">1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Durace Di2 hydraulic disc brake
REAR DERAILLEUR	Shimano, Durace Di2
FRONT DERAILLEUR	Shimano Durace Di2
ELECTRIC CABLE	1 - Electric wire, EW-SD300, for external routing, 500mm (FD) 2 - Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano EW-EC300, 1700mm
CRANKSET	Shimano Durace 50x34T, hallowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB92-41B , press fit
CHAIN	Shimano Dura Ace
CASSETTE/FREEWHEEL	Shimano DURA-ACE 11-30T
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	Included
DISC ROTOR	Shimano RT-MT900 center lock, diam.160mm
RIM/WHEELSET	Vision SC40
TIRE	Pirelli P ZERO Race , 26-622, 127TPI
STEM	Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise 6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber taper w/Shockproof EVA-139
SEATPOST	Reparto Corse by FSA K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm diam., Di2 Battery compatible
SADDLE	Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System, 275x142mm

SPECIALISSIMA - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBY6
COLOR	SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS/HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi Matt black , lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1
FORK	Full Carbon, 1.5" x 1.5" x 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra Di2
FRONT DERAILLEUR	Shimano Ultegra Di2
ELECTRIC CABLE	1 - Electric wire, EW-SD300, for external routing, 500mm (FD) 2 - Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano EW-EC300, 1700mm
CRANKSET	Shimano Ultegra, hollowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit
CHAIN	Shimano Ultegra
CASSETTE/FREEWHEEL	Shimano Ultegra 11-30T
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	Included
DISC ROTOR	Shimano RT-MT800 center lock type, 160mm front rear, with lock ring
RIM/WHEELSET	Fulcrum Racing 400 disc brake, R400 aluminium asymeric 622x19c, tubeless ready, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS
TIRE	Pirelli P ZERO Race , 26-622, 127TPI
STEM	Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber taper w/Shockproof EVA-139
SEATPOST	Reparto Corse by FSA K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm diam., Di2 Battery compatible
SADDLE	Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System, 275x142mm

SPECIALISSIMA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBY7
COLOR	SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS/HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5"- top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube (w/o crown), w/TH-881-1 compresor
FORK	Full Carbon - 1.5"1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2+ Small parts for SM-BH90, olive & connector insert each 2pcs
REAR DERAILLEUR	Shimano Ultegra 11 sp, RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T
FRONT DERAILLEUR	Shimano Ultegra 11 sp, FD-R8000 Ultegra for rear 11-speed, brazed-on type
CRANKSET	Shimano Ultegra 11sp FC-R8000, Ultegra hollowtech II, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano Ultegra 11 sp, CN-HG701-11
CASSETTE/FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	Included
DISC ROTOR	Shimano SM-RT800 center lock, diam. 160mm
RIM/WHEELSET	Fulcrum Racing 400 disc brake, R400 aluminium asymeric 622x19c, tubeless ready, Height 34mm, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS
TIRE	Pirelli P ZERO Race , 26-622, 127TPI
STEM	Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise-6° , Di2 compatible, ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber taper w/Shockproof EVA-139
SEATPOST	Fsa JD-SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 27,2mm, Length: L350mm/47-61cm
SADDLE	Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm

SPECIALISSIMA - SRAM RED ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBY8
COLOR	'SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS/HARDWARE	AL7075-T6 large button head, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881/CR-1 compresor
FORK	Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100mm
SHIFTER	Sram Red eTap AXS D1 2x12sp
REAR DERAILLEUR	Sram Red eTap AXS D1 12sp
FRONT DERAILLEUR	Sram Red eTap AXS D1, braze on
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram Red D1 46x33T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Red D1 12sp
CASSETTE/FREEWHEEL	Sram Red XG-1290 D1 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T
BRAKE	Included in the shifter
DISC ROTOR	Sram centerline x Road, 160mm
RIM/WHEELSET	Vision SC40
TIRE	Pirelli P ZERORace , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, 31.8mm / steerer diam. 28.6mm / rise 6° , Di2 compatible, RC'21 graphics, Ext: 90mm-47/50cm,100mm-53cm,110mm-55/57cm,120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber tapes w/Shockproof EVA-139
SEATPOST	Reparto Corse Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm, Di2 Battery compatible
SADDLE	Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System,275x142mm

SPECIALISSIMA - SUPER RECORD EPS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBY4
COLOR	SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	Specialissima CV Disc carbon, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS/HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881-1 compressor
FORK	Full Carbon - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Super Record 12s left EP EPS + 160 front caliper + screws w oil (intl STD) Super Record 12s right EP EPS + 160 rear caliper w oil (Intl STD)
REAR DERAILLEUR	Campagnolo Super Record EPS 12sp
FRONT DERAILLEUR	Campagnolo Super Record EPS 12s braze-on, front derailleur stiffness increaser
ELECTRIC CABLE	Campagnolo EPS V4 Internal interface-handlebar mount 12sp
CHARGER/PWRCABLE	Campagnolo EPS battery charger kit for EPS V3/V4 12sp Power Unit, CEE, AUS, UK, US
CRANKSET	Campagnolo Super Record ultra-torque CT Ti Carbon 12s 170-172,5-175mm 34-50T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm
CHAIN	Campagnolo Super Record 12sp
CASSETTE/FREEWHEEL	Campagnolo Super Record 12sp, 11-29T
BRAKE	Included in the shifter, 29mm fixing screws for 20mm frame thickness
BRAKE LEVER	Included
DISC ROTOR	Campagnolo 03 AFS, diam. 160mm
RIM/WHEELSET	Fulcrum Wind400DB
TIRE	Pirelli P ZERO Race , 26-622, 127TPI
STEM	Reparto Corse Fsa NS ACR ST-OS-160, 3D Forged/CNC AL6061, clamp. 31.8mm, rise-6° , Di2 compatible, ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Fsa Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber taper w/Shockproof EVA-139
SEATPOST	Reparto Corse by FSA K-Force Light SB25, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., Di2 Battery compatible
SADDLE	Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex , rail carbon braided 7x9cover, Integrated Clip System, 275x142mm

SPECIALISSIMA - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XR804
COLOR	SB: Black Carbon UD/Mermaid Scale Full Glossy SC: CK16/Mermaid Scale Full Glossy SJ: Greenish Blue/Mermaid Scale Full Glossy *Tavolozza colours
FRAME	SPECIALISSIMA CV Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi Matt black , lower 1.5"- top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube (w/o crown), w/TH-881/CR-1 compresor
FORK	Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
STEM	Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm

SPRINT - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBR4
COLOR	ID: CK16 Glossy SW: Black/Graphite Glossy
FRAME	Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4"×1.1/8" integrated head , Disc brake flat mount , thru axle 12x100
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic disc brake, Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 + Small parts for SM-BH90, olive & connector insert each 2pcs
REAR DERAILLEUR	Shimano Ultegra RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, 61-66°, for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hollowtech 2, for rear 11- speed,50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70, center lock , with Ice Technology, diam.160mm
RIM/WHEELSET	Velomann VR30 alloy, C19 disc brake, 30mm rim profile, clincher 622x19C, front HH12 - rear HH12/142
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork color: Black
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm, 350mm-47/61cm
SADDLE	Velomann 1285 URN, steel rails, lenght/wide 278x144mm

SPRINT - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBR5
COLOR	ID: CK16 Glossy SW: Black/Graphite Glossy
FRAME	Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4"×1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53 - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black + Small parts for SM-BH90, olive & connector insert each 2pcs
REAR DERAILLEUR	Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano FD-R7000-L, 105, 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm
CRANKSET	Shimano105 11sp Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R7070 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70, center lock , with Ice Technology, diam. 160mm
RIM/WHEELSET	Velomann VR30 alloy, C19 disc brake, 30mm rim profile, clincher 622x19C, front HH12 - rear HH12/142
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm, 350mm-47/61cm
SADDLE	Velomann 1285 URN, steel rails, lenght/wide 278x144mm

SPRINT - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBR3
COLOR	ID: CK16 Glossy SW: Black/Graphite Glossy
FRAME	Sprint carbon monocoque, bbset pressfit 86,5x41, compatible mechanical and electronic, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	Included in the frame
HEADSET	fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon 1.4>1.1/8"
SHIFTER	Shimano 105 ST-R7000 11sp, 105, 2-speed, left w/1800mm sl inner, w/o outer stopper & cable guide Shimano ST-R7000, 105, 11sp, right w/2100mm sl inner, w/o outer stopper & cable guide
REAR DERAILLEUR	Shimano 105 RD-R7000, 105 GS 11sp, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for 46/53T, CL :43.5mm
CRANKSET	Shimano FC-RS510 11-speed, 2-pcs FC, 165-170-172-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Kmc X11-1 EPT finish, 11sp
CASSETTE/FREEWHEEL	Shimano 105 CS-R7000, 105, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R561-L, front CS49, 12.5mm sunken nut, 27.5mm pivot bolt, shoes w/R55CT4 Shimano BR-R561-L, rear CS49, 10.5mm sunken nut, 12.8mm pivot bolt, shoes w/R55CT4
BRAKE LEVER	Included
RIM/WHEELSET	WH-RS100, F:20h/R:24h, for 11/10 speed, OLD:100/130R-QR:163mm
TIRE	Vittoria Zaffiro Pro V 700 x 25c, 26TPI, G2.0 Folding, black
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	La Spirale Ribbon cork w/new plug carbon look with Bianchi logo
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: L300mm-44cm, L350mm-47/61cm
SADDLE	Velomann 1285 URN, steel rails, lenght/wide 278x144mm

OLTRE XR4



XC: Graphite Race/CK16 shade + White Logo Full Glossy



NEW COLOR



NEW LOGO

OLTRE XR4



XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Gloss



NEW COLOR



NEW LOGO

OLTRE XR4



XW: White/Antartica shade+ Dragon Scale Logo



NEW COLOR



NEW LOGO

OLTRE XR4 - DURA ACE Di2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB15
COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/Antartica shade+ Dragon Scale Logo , *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Shimano Durace Di2 hydraulic disc brake
REAR DERAILLEUR	Shimano DURA-ACE Di2
FRONT DERAILLEUR	Shimano DURA-ACE Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Electric wire, Shimano EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano, DURA-ACE hollowtech 2, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB92-41B , press fit type for road, right & left adapter, bearing
CHAIN	Shimano 112link for HG
CASSETTE/FREEWHEEL	Shimano DURA-ACE 11-30T
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 160mm front and rear
FRONT HUB	Reparto Corse DR835F-CL (HH12X100)
REAR HUB	Reparto Corse DR835SRA-CL 24HX14G
RIM/WHEELSET	Vision SC55
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm

OLTRE XR4 - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB17
COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/Antartica shade+ Dragon Scale Logo , *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake
REAR DERAILEUR	Shimano Ultegra Di2
FRONT DERAILEUR	Shimano Ultegra Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra hollowtech 2, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano, 112link for HG
CASSETTE/FREEWHEEL	Shimano, 11-30T
BRAKE	Shimano Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear, with lock ring (2pcs)
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11, color black+CK16
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R3 140mm, shell nylon carbon reinforced WingFlex , rail new K:iium, Length 260mm x Width 140mm

OLTRE XR4 - RED ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB09
COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/Antartica shade+ Dragon Scale Logo *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5" , 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Sram Red eTap AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose Red eTap AXS D1 12sp Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram Red eTap AXS D1, 12sp
FRONT DERAILLEUR	Sram Red eTap AXS D1 braze on
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram Red D1 12sp double 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Red D1 12sp
CASSETTE/FREEWHEEL	Sram Red XG-1290 D1, 10-11-12-13-14-15-16-17-19-21-24-28T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline x Road 160mm black rounded, Lock ring ASMBH20
FRONT HUB	Reparto Corse DR835F-CL 24HX14G, Hub shell : AL6082-T6, Axle material: AL 7075-T6, Ball bearing, centerlock, Anodized black, with rotor lockring
REAR HUB	Reparto Corse DR835XDR-CL 24HX14G; Hub shell : AL6082-T6, Axle material: AL 7075-T6, 4 Ball bearing, centerlock, Anodized black, with rotor lockring, XDR
RIM/WHEELSET	Vision SC55
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RG'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380mm-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm

OLTRE XR4 - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB12
COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/Antartica shade+ Dragon Scale Logo *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12SP
CASSETTE/FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, XDR
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fizik Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm

OLTRE XR4 - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBL9
COLOR	XB: Graphite Race/Grey shade MATT+ Metal Mirror Logo GLOSSY XC: Graphite Race/CKI6 shade+ White Logo *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, top cover UD Carbon 1 1/8-1 1/4, 45°- 45 ACP bearing, w/Carbon custom cone spacer H2042 specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube , NO.44/CF-R/5D
FORK	Full Carbon aero 1 1/4"×1 1/8" integrated head
SHIFTER	Shimano ST-R8150, Ultegra Di2
REAR DERAILEUR	Shimano Ultegra Di2,
FRONT DERAILEUR	Shimano Ultegra Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano, Ultegra hollowtech 2, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano Ultegra
CASSETTE/FREEWHEEL	Shimano Ultegra 11-30T
BRAKE	Shimano Hydraulic disc brakes
BRAKE LEVER	included
RIM/WHEELSET	Trimax 35 caliper 700X19c, clincher, standard SBS
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D Integrated Aero bar, SB-KO-i310S, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-44/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R3 140mm ; shell nylon carbon reinforced WingFlex , rail new K:iium, Length 260mm x Width 140mm

OLTRE XR4 - ULTEGRA 11SP



CODE	YRBL2
COLOR	XC: Graphite Race/CK16 shade+ White Logo *Tavolozza colours
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, top cover UD Carbon 1 1/8-1 1/4, 45° - 45 ACB bearing, w/Carbon custom cone spacer H2042 specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube , NO.44/CF-R/5D
FORK	Full Carbon aero 1 1/4" x 1 1/8" integrated head
SHIFTER	Shimano ST-R8000, Ultegra 2x11sp
REAR DERAILLEUR	Shimano RD-R8000, Ultegra SS 11sp top normal shadow design, direct attachment, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hollowtech II, for rear 11sp, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG701-11, for 11-speed (road/mtb compatibile), 110 links, w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano CS-R8000,Ultegra 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8010-F, Ultegra front, direct mount type, shoe: R55C4 BR-R8010-RS, Ultegra rear seat stay mount type, shoe: R55C4
BRAKE LEVER	included
RIM/WHEELSET	Trimax 35 caliper 700X19c, clincher, standard SBS
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	JD-RA83A.2 Aero Compact, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm; 300mm-50/53cm; 350mm-55-59; 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R3 140mm ; shell nylon carbon reinforced WingFlex , rail new K:iium, Length 260mm x Width 140mm

OLTRE XR4 - FRAME KIT



CODE	XR802I
COLOR	XB: Graphite Race/Grey shade MATT+ Metal Mirror Logo GLOSSY XC: Graphite Race/CK16 shade+ White Logo *Tavolozza colours
FRAME	OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo - Nut stainless steel front brake 35mm M6 - Nut stainless steel rear brake 18mm M6 - Washer stainless steel front brake 13x3,5
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1 .5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
STEM	Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm

OLTRE XR4 - FRAME KIT



CODE	XRBO2X
COLOR	XC: Graphite Race/CK16 shade+ White Logo Full Glossy *Tavolozza colours
FRAME	OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo - Nut stainless steel front brake 35mm M6 - Nut stainless steel rear brake 18mm M6 - Washer stainless steel front brake 13x3,5
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1 .5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
STEM	Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm

OLTRE XR4 - FRAME KIT



CODE	XR803
COLOR	XB: Graphite Race/Grey shade Matt+ Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade+ White Logo Full Glossy*Tavolozza colours
FRAME	OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1 1/4" - 1 1/8", direct mount brakes, BB-PressFit 86,5x41 sizes 44-47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, top cover UD Carbon 1 1/8-1 1/4, 45°- 45 ACB bearing, w/Carbon custom cone spacer H2041 for normal stem, for 47mm/52mm OD head tube
FORK	Full Carbon aero 1.1/4*1.1/8" integrated head
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm

OLTRE XR3



XC: Graphite Race/CK16 shade + White Logo Full Glossy



NEW COLOR



NEW LOGO

OLTRE XR3



XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy



NEW COLOR



NEW LOGO

OLTRE XR3



XW: White/Antartica shade+ Dragon Scale Logo



NEW COLOR



NEW LOGO

OLTRE XR3 - ULTEGRA 11SP



CODE	YRBK7
COLOR	XB: Graphite Race/Grey shade Matt+ Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade+ White Logo Full Glossy XW: White/Antartica shade+ Dragon Scale Logo
FRAME	OLTRE XR3 Bianchi CV carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy
FORK	Full Carbon Aero Road 1.5"1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R8000, Ultegra SS 11sp top normal shadow design, direct attachment, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, band type (34.9mm), CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hollowtech II, for rear 11- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter
CHAIN	Shimano Ultegra CN-HG701-11, for 11-speed (road/mtb compatible), w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano CS-R8000,Ultegra 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center lock 160mm, Rotor for disc-brake
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11
TIRE	Pirelli P7, 700 x 28c, 60TPI
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm

OLTRE XR3 - ULTEGRA DI2



CODE	YRB18
COLOR	XC: Graphite Race/CK16 shade + White Logo Full Glossy
FRAME	OLTRE XR3 Bianchi CV carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1.1/8" ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy
FORK	Full Carbon Aero Road 1.5"1.1/8" integrated head , Disc brake flat mount , thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra Di2
FRONT DERAILLEUR	Shimano Ultegra Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra hollowtech II, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano Ultegra
CASSETTE/FREEWHEEL	Shimano Ultegra 11-30T
BRAKE	Shimano Hydraulic disc brake,
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Reperto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback [25mm/+10mm], EL271 alloy 6061 clamp
SADDLE	Fizik Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm

ARIA - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB38
COLOR	PX: :Summertime dream/Black Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, N0.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4"×1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake
REAR DERAILEUR	Shimano Ultegra Di2
FRONT DERAILEUR	Shimano Ultegra Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano Ultegra
CASSETTE/FREEWHEEL	Shimano Ultegra 11-30T
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/lce Tech, 160mm front rear
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44, 300mm-47/50, 350mm-53/61, EL271 alloy 6061 clamp
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm

ARIA - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB39
COLOR	5K: CK16/ Black Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 165 - 170 - 172,5 - 175, 46/33, Crank Length: 165mm-44cm; 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S
CASSETTE/FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm

ARIA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB9D
COLOR	5K: CK16/ Black Full Glossy PX: :Summertime dream/Black Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing,45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4"x1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 44-47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 44-47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11sp, down swing, brazed-on type, 61-66°, for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hallowtech 2, for rear 11- speed, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center lock 160mm, Rotor for disc-brake, SM-RT800, S 160mm, w/lock ring
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Reporto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm, lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm

ARIA - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB8D
COLOR	5K: CK16/ Black Full Glossy 2R: Black/ Brillant Graphite Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4" -1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing,45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4"1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53 - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R7000, 105, SS 11-speed, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type,cs-angle: 61-66, for top gear:46-53T, CL :43.5mm
CRANKSET	Shimano FC-R7000, 105, for rear 11-speed, hollowtech II, 50x34T w/o CG, w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-RS505 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
STEM	ST199A 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm,120mm-59-61cm
HANDLEBAR	RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm, EL271 alloy 6061 clamp
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, lenght/wide 278x144mm

INFINITO



IC: CK16/Dark Turquoise Full Glossy



NEW COLOR



NEW LOGO

INFINITO



IC: CK16/Dark Turquoise Full Glossy



NEW COLOR



NEW LOGO

INFINITO - RIVAL ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB50
COLOR	IC:CK16/Dark Turquoise Full Glossy
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPs, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes), stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172,5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S
CASSETTE/FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
HANDLEBAR	JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reporto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy

INFINITO - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBZ5
COLOR	IC:CK16/Dark Turquoise Full Glossy IB: Soft Black/Black Full Matt
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake
REAR DERAILLEUR	Shimano Ultegra Di2
FRONT DERAILLEUR	Shimano Ultegra Di2
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra hollowtech II, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano Ultegra
CASSETTE/FREEWHEEL	Shimano Ultegra 11-32T
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/lce Tech, 160mm front rear, with lock ring
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy

INFINITO - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB54
COLOR	IC:CK16/Dark Turquoise Full Glossy IB: Soft Black/Black Full Matt
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hollowtech 2, for rear 11sp, 50x34T w/o BB parts, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61/63cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano Ultegra CN-HG701-11, for 11-speed, w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano CS-R8000,Ultegra 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center lock 160mm Rotor for disc-brake, SM-RT800, S 160mm, w/lock ring
RIM/WHEELSET	Trimax 30 disc brake 700X19c, Hubs SC ,clincher, front 12X100 - rear 12X142 HG
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	JD-RA35A.2 Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fizik Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy

INFINITO - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XRB24
COLOR	IC:CK16/Dark Turquoise Full Glossy, *Tavolozza colours
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 44-47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/47/CF/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); top cover carbon (H2041)
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SEATPOST	Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm, 380mm-59/61cm, Setback: 25mm/+10mm

INFINITO XE - RIVAL ETAP AXS 12SP



CODE	YRB5D
COLOR	5K: CK16/ Black Full Glossy 5H: Black/ CK16 Graphite Full Glossy
FRAME	INFINITO carbon - 11/8"- 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes), stack height 11,8mm
FORK	Full Carbon - 28" - 300mm - 1.5" , dropout 12 x 100mm thru axle
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CHARGER/PWRCABLE	Included in the bottery
CRANKSET	RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S
CASSETTE/FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round , bearing standard industrial, thru axle, center lock AFS, front HH12 - rear HH12/142, XDR
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
STEM	Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, L350-380mm, 350mm-47/57cm; 380mm-59/61cm
SADDLE	Velomann 1966 rail steel black, open, cover PU, lenght/wide 250x148mm

INFINITO XE - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB6D
COLOR	5K: CK16/ Black Full Glossy 5H: Black/ CK16 Graphite Full Glossy
FRAME	INFINITO carbon - 1.1/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1.1/8" ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon - 28" - 300mm - 1.5" , dropout 12 x 100mm thru axle
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 25mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, 61-66° for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra hollowtech II, for rear 11sp, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG701-11, for 11-speed, w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano CS-R8000,Ultegra 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center look 160mm, Rotor for disc-brake, SM-RT800, S 160mm
RIM/WHEELSET	Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0
STEM	Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm, 380mm-59/61cm
SADDLE	Velomann I966 rail steel black, open, cover PU, lenght/wide 250x148mm

INFINITO XE - 105 11SP



CODE	YRB7D
COLOR	5K: CK16/ Black Full Glossy 5H: Black/ CK16 Graphite Full Glossy
FRAME	INFINITO carbon - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042 (for 47/56mm Head Tubes), stack height 11,8mm
FORK	Full Carbon - 28" - 300mm - 1.5" , dropout 12 x 100mm thru axle
SHIFTER	Shimano 105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53 - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm
CRANKSET	Shimano FC-R7000, 105, for rear 11sp, hollowtech II, 50x34T w/o CG, w/o BB parts, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-RS505 flat mount hydraulic disc brake included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm
RIM/WHEELSET	Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
STEM	Velomann ST236A, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 1 piece alloy faceplate 6061, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Velomann SP155T.2, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm, 380mm-59/61cm
SADDLE	Velomann 1966 rail steel black, open, cover PU, lenght/wide 250x148mm

VIA NIRONE 7 - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB4C
COLOR	ND: CK16/Titanium Silver Full Glossy N2: Serial Black/Titanium Silver Full Glossy
FRAME	VIA NIRONE 7 alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, diam. 35mm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover tapered 46mm/50 OD head tube
FORK	Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano 105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53 - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66", for top gear:46-53T, CL :43.5mm, Clamp band adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RS510 11sp, 2-pcs FC, w/BB parts (BSA), Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	included in the crankset
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT64 rotor for disc brake center lock , S 160mm
FRONT HUB	Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing
REAR HUB	Formula RXC-142S road disc , center lock, J-bend, thru axle 12xx142mm
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo, w/o cork
SADDLE	Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

VIA NIRONE 7 - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBW7
COLOR	ND: CK16/Titanium Silver Full Glossy N2: Serial Black/Titanium Silver Full Glossy
FRAME	VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam. 31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, diam. 35mm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover tapered 46mm/50 OD head tube
FORK	Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano 105 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , 105,ST-R7020(L), BR-R7070(F), black, for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) + ST-R7025(L) only for frames sizes 47-50-53 - Disc-brake assembled set/J-kit direct, 105, ST-R7020(R), BR-R7070(R), black, w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black) + ST-R7025(R) only for frames sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black Small parts for SM-BH90
REAR DERAILLEUR	Shimano RD-R7000, 105, GS 11-speed, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, 61-66°, for top gear:46-53T, CL :43.5mm, Clamp band adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RS510 11sp, 2-pcs FC, w/BB parts (BSA), Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	included in the crankset
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT64 rotor for disc brake center lock , S 160mm
FRONT HUB	Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing
REAR HUB	Formula RXC-142S road disc , center lock, J-bend, thru axle 12xx142mm
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Vittoria Zaffiro V 32-622 rigid full black, 700x32c, Nylon 26 TPI
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo, w/o cork
SADDLE	Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

VIA NIRONE 7 - CLARIS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBK2
FRAME	VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm
COLOR	ND: CK16/Titanium Silver Full Glossy N2: Serial Black/Titanium Silver Full Glossy
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	Fsa NO.8B/ZS4D 1 1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Carbon Alu with Kevlar in front leg - 1 1/8 300mm BIFKC-FK
SHIFTER	Shimano Claris ST-R2000-L, Claris, left 2-speed, w/1800mm sl inner (pre-assembled) w/o (outer, outer stopper) ST-R2000-R, Claris, right 8-speed, w/2100mm sl inner (pre-assembled) w/o (outer, outer stopper, cable guide)
REAR DERAILLEUR	Shimano RD-R2000, Claris, cage GS 8-speed direct attachment, max sprocket 34T
FRONT DERAILLEUR	Shimano FD-R2000, Claris for rear 8-speed, band-type 34.9mm, for double chainwheel
CRANKSET	Shimano FC-RS200 170-175mm square type, 50X34T for rear 8-speed, w/o cg, Crank Length: 170mm-44/57cm, 175mm-59/63cm
BOTTOM BRACKET	CH-52 cartridge bottom bracket, axle:LL111, shell: BSA 68mm, w/fixing bolt
CHAIN	Kmc Z8 1/8"X3/32" for 8-speed
CASSETTE/FREEWHEEL	Shimano CS-HG200-8, 8-SPEED, 12-14-16-18-21-24-28-32[BR]
BRAKE	Melt forged Alloy Dual-Pivot caliper brake, Quick relase mechanism, F+R 39-52mm, w/cartridge pad P-473 in Black
BRAKE LEVER	included
FRONT HUB	Formula RB-51 alloy ball bearing 28h, O.L.D:100,w/qr 22 W/O logo QR:112L
REAR HUB	Formula RB-52 alloy ball bearing 28h, O.L.D:130, for 8/9/10sp finish black,w/qr 22 w/o logo 144L
RIM/WHEELSET	Velomann ABR-1 700C 622x17, 2-14H F/V, alloy double wall black anodized, w/cnc side wall, w/o eyelet, pin join, pair spoke
TIRE	Vittoria Zaffiro V 25-622, 700 x 25cc, 26TPI
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 300mm-44/46cm, 350mm-50/63cm
SADDLE	Selle Royal Velomann 2075HRN, steel rail, cover PVC, lenght/wide 280x145mm

VIA NIRONE 7 - CLARIS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBK1
COLOR	ND: CK16/Titanium Silver Full Glossy N2: Serial Black/Titanium Silver Full Glossy
FRAME	VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55-57cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Full Carbon Kvid 1 1/8 Ahead L300
SHIFTER	Shimano Claris, ST-R2000-L, Claris, left 2-speed, w/1800mm sl inner (pre-assembled) w/o (outer, outer stopper), ST-R2000-R, Claris, right 8-speed, w/2100mm sl inner (pre-assembled) w/o (outer, outer stopper, cable guide)
REAR DERAILLEUR	Shimano RD-R2000, Claris, cage GS 8-speed direct attachment, max sprocket 34T
FRONT DERAILLEUR	Shimano FD-R2000, Claris for rear 8-speed, band-type 34.9mm, for double chainwheel
CRANKSET	Shimano FC-RS200 170-175mm square type, 50X34T for rear 8-speed, w/o cg, Crank Length: 170mm-44/57cm, 175mm-59/63cm
BOTTOM BRACKET	CH-52 cartridge bottom bracket, axle:LL111, shell: BSA 68mm, w/fixing bolt
CHAIN	Kmc Z8 1/8"X3/32" for 8sp, 110L (44/46/50); 112L (53/57/59/61/63)
CASSETTE/FREEWHEEL	Shimano CS-HG200-8, 8-SPEED, 12-14-16-18-21-24-28-32[BR]
BRAKE	Melt forged Alloy Dual-Pivot caliper brake, Quick relase mechanism, F+R 39-51mm, w/cartridge pad P-473
BRAKE LEVER	included
FRONT HUB	Formula RB-51 alloy ball bearing 28h, O.L.D:100, finish black,w/gr 22 W/O logo
REAR HUB	Formula RB-52 alloy ball bearing 28h, O.L.D:130, for 8/9/10sp finish black,w/gr 22 w/o logo
RIM/WHEELSET	Velomann ABR-1 700C 622x17, 2-14H F/V, alloy double wall black anodized, w/cnc side wall, w/o eyelet, pin join, pair spoke
TIRE	Kenda Kriterium 25-622, 700 x 25cc, 26TPI, rigid
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-44/46, 350mm-50/63cm
SADDLE	Selle Royal Velomann 2075HRN, steel rail, cover PVC, lenght/wide 280x145mm

ARCADEX - GRX DI2 1X11SP



CODE	YRBX6
COLOR	GX: CK16/Blue notes Full Glossy GY: Gold Storm/Blue notes Full Glossy
FRAME	CARBON ALL ROAD 1.5" aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	Fsa SMR HS with 1.1/8" custom top cone Bianchi, H2475 Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 815 Di2 11sp Hydraulic disc brake DISC BRAKE ASSEMBLED SET/J-kit DIRECT, GRX, ST-RX815(L), BR-RX810(F), FOR 160MM ROTOR, RESIN PAD(W/FIN), 1000MM HOSE(SM-BH90 BLACK) DISC BRAKE ASSEMBLED SET/J-kit DIRECT, GRX, ST-RX815(R), BR-RX810(R), W/O ADAPTER, FOR 25MM MNT, RESIN PAD(W/FIN), 1700MM HOSE(SM-BH90 BLACK) Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano GRX RX 817 Di2, RD-RX817, 11sp, top normal shadow plus design, direct attachment
CRANKSET	Shimano FC-RX810-1, GRX, 11-speed, HOLLOWTECH II, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano Ultegra, CN-HG701-11, for 11-speed, 116 links, w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano XT 11sp, CS-M8000, DEORE XT, 11-13-15-17-19-21-24-28-32-37-42, BULK
BRAKE	Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center look diam.160mm
RIM/WHEELSET	Fulcrum Rapid Red 500 DB 2WF-R C23 AFS, alloy, 2-Way fit Ready, rim profile 24mm, width 28mm, 24 spokes, HH12- rear HH12/142 HG
TIRE	WTB Riddler Race 700 x 37c, Dual DNA Compound, 60tpi Casing, Aramid Bead
STEM	Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061, 1 1/4", raise 0°, Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL
HANDLEBAR	JD-RA120A Aero shape, Aluminum 6061, reach 70mm, flare angle 16°, drop cc 130mm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL
GRIP/TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 31,6mm, Length: 300mm-XS, 350mm-S/M/L/XL, FSA Sleeve Di2 31.6mm
SADDLE	Fi'zi:k Argo Terra R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy

ARCADEX - GRX 810 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBX2
COLOR	GX: CK16/Blue notes Full Glossy GY: Gold Storm/Blue notes Full Glossy
FRAME	CARBON ALL ROAD 1.5" aheaset ,seat post diam.31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA SMR HS with 1.1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 810 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, BL-RX810(L), BR-RX810(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX810(R), BR-RX810(R), for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX812, GRX 11-speed, top normal shadow plus design, direct attachment, direct mount compatible
CRANKSET	Shimano FC-RX810-1, GRX, 11-speed, HOLLOWTECH II, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FRONT HUB	Shimano HB-RS470, road disc, center lock 32h for 12mm Thru axle type (w/o axle), OLD:100mm, w/o rotor mount cover, w/o lock ring
REAR HUB	Shimano FH-RS470, road disc, center lock (w/o lock ring) 10/11sp for 12mm Thru axle type (w/o axle), 32h OLD:142mm, w/o rotor mount cover
RIM/WHEELSET	GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo
TIRE	WTB Riddler Comp 700 x 37c, 30tpi Casing, Wire Bead, Tan sidewall, W110-1045
STEM	Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061 , 1 1/4", raise 0°, plastic adaptor for hose cover 1 1/4", Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL
HANDLEBAR	68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS, 350mm-S/M/L/XL
SADDLE	Selle Royal Reparto Corse 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm

ARCADEX - GRX 600 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBX3
COLOR	GX: CK16/Blue notes Full Glossy GY: Gold Storm/Blue notes Full Glossy
FRAME	CARBON ALL ROAD 1.5" aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, BL-RX600-L(L), BR-RX400(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX812, GRX 11-speed, top normal shadow plus design, direct attachment, direct mount compatible
CRANKSET	Shimano FC-RX600, GRX, 11sp, 2-pcs FC, 40T w/o BB parts, Crank Length: 170mm-XS/S, 172.5mm-M/L, 175mm-XL
BOTTOM BRACKET	Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FRONT HUB	Shimano HB-RS470, road disc, center lock 32h for 12mm Thru axle type (w/o axle), OLD:100mm, w/o rotor mount cover, w/o lock ring
REAR HUB	Shimano FH-RS470, road disc, center lock (w/o lock ring) 10/11sp for 12mm Thru axle type (w/o axle), 32h OLD:142mm, w/o rotor mount cover
RIM/WHEELSET	GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo
TIRE	WTB Riddler Comp 700 x 37c, 30tpi Casing, Wire Bead
STEM	Reparto Corse by Fsa ST-OS-188/SMR-0°, Alloy 6061 , 1 1/4", raise 0°, plastic adaptor for hose cover 1 1/4", Ext: 80mm-XS/S, 100mm-M, 120mm-L/XL
HANDLEBAR	68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-XS/S, 42cm-M/L, 44cm-XL
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS, 350mm-S/M/L/XL
SADDLE	Selle Royal Reparto Corse 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm

IMPULSO



IP: CK16 aquamarine



NEW COLOR



NEW LOGO

IMPULSO



AK: Green Salamander



NEW COLOR



NEW LOGO

IMPULSO



AJ: Blue Smoke



NEW COLOR



NEW LOGO

IMPULSO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBIC
COLOR	AJ: blue smoke, AK green salamander, IP CK16 aquamarine
FRAME	TC17-IMPULSO ALL ROAD ALU 1 1/8 aheaset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Full Carbon 1 1/8, flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX600(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment
FRONT DERAILLEUR	Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66", for top gear:46-50T, CL:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 46-30T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG601-11, for 11sp, w/end pin
CASSETTE/FREEWHEEL	Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FRONT HUB	Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing
REAR HUB	Formula RXC-142S road disc , center lock, J-bend, thru axle 12xx142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet
TIRE	Kenda Alluvium 700x40, 60TPI, black colour, K1226
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm-61/63
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 350mm-47/63cm
SADDLE	Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

IMPULSO - GRX 810 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB8C
COLOR	IP: CK16 aquamarine
FRAME	TC17-IMPULSO ALL ROAD ALU 1 1/8 aheadset ,seat post diam. 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Full Carbon 1"1/8, flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 810 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX810(L), BR-RX810(F) for 160mm rotor, resin (w/fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX810(R), BR-RX810(R) w/o adapter, for 20mm mount thickness, resin (w/fin), 1700mm hose (SM-BH90 black) + Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment
FRONT DERAILLEUR	Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66°, for top gear:46-50T, CL:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RX810-2, GRX, 11sp, hollotech II, 170-172.5-175mm, 48-31T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG601-11, for 11-speed, w/end pin
CASSETTE/FREEWHEEL	Shimano CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FRONT HUB	Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing
REAR HUB	Formula RXC-142S road disc , center lock, J-bend, thru axle 12xx142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet
TIRE	Kenda Alluvium 700x40, 60TPI, K1226
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm-47/50/53, 42cm 55/57/59, 44cm 61/63
GRIP/TAPE	Ribbon cork + new plug carbon look
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 350mm-47/63cm
SADDLE	Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

VIA NIRONE 7



GU: CK16/Blue Peacock Full Glossy



NEW COLOR



NEW LOGO

VIA NIRONE 7



GV: Green Forest/Bronze Mirror Full Glossy



NEW COLOR



NEW LOGO

VIA NIRONE 7 - GRX 400 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB62
COLOR	GU: CK16/Blue Peacock Full Glossy GV: Green Forest/Bronze Mirror Full Glossy
FRAME	VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost diam.31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	Fsa NO.8B/ZS4D 1 1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Carbon 1 1/8, flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 400 10sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX400(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX400(R), BR-RX400(R) w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black). Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX400, GRX, 10-speed, top normal, shadow plus design, direct attachment
FRONT DERAILLEUR	Shimano FD-RX400, GRX, for 10-speed, down-swing, down-pull, braze-on type, 61-66°, for top gear: 46T, cl:46mm, Clamp band adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RX600, GRX, for rear 10-speed, 2-pcs fc, 170-172-175mm, 46-30T w/BB parts (BSA), Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	included in the crankset
CHAIN	Shimano CN-HG54 super narrow HG 10-speed 116 links, w/end pin
CASSETTE/FREEWHEEL	Shimano CS-HG500-10-speed, 11-13-15-17-19-21-23-26-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT64 rotor for disc brake center lock , S 160mm w/lock ring (2pcs)
FRONT HUB	Formula CL-712 road disc , alloy 32h, center lock, J-bend, thru axle 12x100mm, w/o QR w/o logo. 2SB bearing
REAR HUB	Formula RXC-142S road disc , center lock, J-bend, thru axle 12xx142mm, w/o QR w/o logo 4SB bearing for Shimano 10/11speed
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet
TIRE	Kenda Alluvium 700x40, 60TPI, K1226
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, 1.1/8", ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm, size: 40cm-47/50/53, 42cm-55/57/59, 44cm 61/63
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 350mm-47/63cm
SADDLE	Selle Royal Velomann 2302HRN, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

AQUILA



XC: Graphite Race/CK16 shade + White Logo Full Glossy



NEW COLOR



NEW LOGO

AQUILA - DURA ACE DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBF4
COLOR	XC: XC: Graphite Race/CK16 shade + White Logo Full Glossy*Tavolozza colours
FRAME	AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG, carbon cover
BOLTS/HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo
HEADSET	Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing
FORK	Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8" 300mm \$46mm
SHIFTER	Shimano Dura Ace Bar end type, SL-BSR1, Dura-Ace, 2/3x11-speed
REAR DERAILLEUR	Shimano RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, 61-66° for 46/53T cl: 43,5mm
CRANKSET	Shimano FC-R8000, Ultegra double 165-170-172.5-175mm hollowtech 2, for rear 11- speed, 52x36T w/o BB parts, Crank Length: 165mm-XS, 170mm-SM, 172.5mm-MD, 175mm-LG
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG701-11, for 11-speed (road/mtb compatible), 110 links, w/o end pin, w/ampoule type connect pin X1
CASSETTE/FREEWHEEL	Shimano Ultegra 11sp, CS-R8000, Ultegra 11sp , 11-12-13-14-15-17-19-21-23-25-28T
BRAKE	Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim, front and rear design cable exit
BRAKE LEVER	Shimano Brake lever BL-TT79, DuraAce, for TT/Triathlon, right or left compatible
RIM/WHEELSET	Fulcrum Racing 418 - R400 front rim Aluminum, H35, welded, C17, rear and front rim Aluminum - HR30 front hub aluminium alloy body and axel, bearing standard tech. industrial - 16 hole for straight pull spokes - HR30 rear hub aluminium alloy body and axel, bearing standard tech. industrial - 21hole for straight pull spokes - HG11
TIRE	Pirelli P ZERO Road, 700 x 26c, 120TPI, Nylon breaker, Folding
STEM	included in the handlebar
HANDLEBAR	Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, widht 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole, and VLP-56 BK plug
SEATPOST	Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM, 350mm for MD-LG
SADDLE	Fi'zi:k Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy

AQUILA - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XRB28
COLOR	XC: Graphite Race/CK16 shade + White Logo Full Glossy *Tavolozza colours
FRAME	AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG, carbon cover
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing (H0001V4100UP00)
FORK	Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8"
8BRAKE	Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim, front and rear design cable exit
STEM	included in the handlebar
HANDLEBAR	Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, widht 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible
SEATPOST	Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM, 350mm for MD-LG

ZOLDER PRO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB51
COLOR	ZD: CK16/Purple rainbow Full Glossy
FRAME	ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142, sizes 48-50-52-54-56-58-cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy
FORK	Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, ST-RX600(L), BR-RX400(F) for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 25mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX810, GRX 11-speed, top normal shadow plus design, direct attachment
FRONT DERAILLEUR	Shimano FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, 61-66°, for top gear:46-50T, CL:46mm
CRANKSET	Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 170-172.5mm, 46-30T, w/o BB parts, Crank Length: 170mm-48/52cm, 172.5mm-54/58cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
CHAIN	Shimano CN-HG601-11, for 11-speed (road/mtb/e-bike compatible), w/end pin
CASSETTE/FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Velomann VR30 alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142
TIRE	Terreno Mix TNT G2.0 33-622/700x33c, nylon 120TPI, foldable
STEM	Velomann ST199A.2 3D Forged alloy 2014, raise - 8°, height 38mm, Oversize, 1.1/8", sandblast matt finish with bolts ED finish, Ext: 90mm-48-50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm- 48/50cm; 420mm-52/58cm ,440mm-58cm
GRIP/TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork
SEATPOST	Velomann SP67T.C carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 27,2mm, Length: 350mm-48/58cm
SADDLE	Selle Royal Velomann 1285 URN, steel rails, lenght/wide 278x144mm

ZOLDER PRO - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XRB26
COLOR	ZD - CK16/Purple rainbow Z2 - Black/Purple rainbow
FRAME	ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142, sizes 48-50-52-54-56-58-cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp
HEADSET	Fsa Orbit C-40-ACB ; N0.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy
FORK	Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100

E-BIKES

ARIA E-ROAD - ULTEGRA DI2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBN9
COLOR	IA: CK16/Black full glossy
FRAME	E-Road Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, QR sytem, OLD 135mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.14" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	
FRONT DERAILLEUR	
CHARGER / PWR CABLE	
MOTOR/BATTERY	E-Bike motion X35 PLUS motor, battery and iWOC One remote control, ANT+ compatible
CRANKSET	Shimano Ultegra FRONT CHAINWHEEL, ULTEGRA, HOLLOWTECH 2, 50-34T W/O CG, W/O BB PARTS, BULK Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra
CASSETTE / FREEWHEEL	Shimano ULTEGRA, 11-34T, BULK
BRAKE	Shimano Hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT86 6-bolt type 160mm Rotor for disc-brake, SM-RT86, S 160mm, 6-bolt type (2pcs)
RIM/WHEELSET	Vision Trimax alloy disc 6-bolt type with rear Ebikemotion motor hub
TIRE	Vittoria Rubino Pro G2.0 graphene, 700 x 28c, 150TPI, Folding
STEM	Velomann ST199A.2 3D Forged alloy 2014, raise - 6°, height 38mm, 1.1/8", Ext: 90mm-48/50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
HANDLEBAR	Reparto Corse JD-RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo color: Black
SEATPOST	Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lengh: 300mm-47/50cm, 350mm-53/61cm
SADDLE	Selle Royal Velomann 1285 URN, steel rails, lenght/wide 278x144mm

ARIA E-ROAD - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBN8
COLOR	1A: CK16/Black full glossy PZ: Summertime dream/Black Full Glossy
FRAME	E-Road Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4*1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, QR sytem, OLD 135mm, sizes: 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" Top, 1.1/4" Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube (H0336A0000E101)
FORK	Full Carbon Aero Road 1.4*1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90, olive & connector insert each 2pcs
REAR DERAILLEUR	Shimano Ultegra 11 sp RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, 61-66° for 46/53T cl: 43,5mm
MOTOR/BATTERY	E-Bike motion X35 PLUS motor, battery and iWOC One remote control, ANT+ compatible
CRANKSET	Shimano FC-R8000, Ultegra hollowtech 2, for rear 11- speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra 11 sp CN-HG701-11, for 11-speed (road/mtb compatibile), 110 links, w/o end pin, w/ampoule type connect pin X1
CASSETTE / FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT86 6-bolt type 160mm Rotor for disc-brake, SM-RT86, S 160mm, 6-bolt type (2pos)
RIM/WHEELSET	Vision Trimax alloy disc 6-bolt type with rear Ebikemotion motor hub
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI, Folding
STEM	Velomann ST199A.2 3D Forged alloy 2014, raise - 6°, height 38mm, Oversize, 1.1/8", Ext: 90mm-48/50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
HANDLEBAR	Reparto Corse JD-RA83A Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo color: Black
SEATPOST	Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 300mm-47/50cm, 350mm-53/61
SADDLE	Selle Royal Velomann 1285 URN, steel rails, lenght/wide 278x144mm

IMPULSO E-ROAD - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBM4
COLOR	IE: CK16/Black glossy
FRAME	E-Road/All road Impulso , mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover tapered 46mm/50 OD head tube
FORK	FULL CARBON FORK 1.1/8", THRUE AXLE 12x100mm, FLAT MOUNT disc brake
SHIFTER	Shimano Ultegra hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(L), BR-R8070(F), front flat mount for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm black + ST-R8025(L) only for frame sizes 47-50-53 Disc-brake assembled set/J-kit direct, Ultegra, ST-R8020(R), BR-R8070(R),rear flat mount, w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm black + ST-R8025(R) only for frame sizes 47-50-53 Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90, olive & connector insert each 2pcs
REAR DERAILLEUR	Shimano RD-R8000, Ultegra GS 11-speed, top normal shadow design, direct attachment, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano FD-R8000 Ultegra for rear 11-speed, down swing, band type (34.9mm), 61-66 °for 46/53T cl: 43,5mm
MOTOR/BATTERY	E-Bike motion X35 PLUS motor, battery and iWOC One remote control, ANT+ compatible
CRANKSET	Shimano FC-R8000, Ultegra hollowtech II, for rear 11- speed, Crank Length: 170mm- XS/S, 172.5mm-M/L, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE / FREEWHEEL	Shimano CS-R7000, 105, 11sp, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT86 6-bolt type 160mm Rotor for disc-brake, SM-RT86, S 160mm, 6-bolt type (2pcs)
FRONT HUB	Formula RX-812 road disc , alloy 32h, 6 bolts, 2SB bearing, J-bend, thru axle 12x100mm, w/o QR w/o logo.
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Vittoria Zaffiro Pro V 32-622 fold full black G2.0
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 90mm-XS, 100mm-S, 110mm-M/L, 120mm-XLcm
HANDLEBAR	Velomann RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-XS/S, 420mm-M/L, 440mm-XL
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo color: Black
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS/SM, 350mm-MD/LG/XL
SADDLE	Selle Royal Velomann 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm color: black

IMPULSO E-ALL ROAD - GRX 600 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBM6
COLOR	IG: Black/Titanium Full Matt
FRAME	E-Road/All road Impulso , mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	FULL CARBON FORK 1.1/8", THRUE AXLE 12x100mm, FLAT MOUNT disc brake
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake - Disc-brake assembled set/J-kit direct , GRX, BL -RX600-L(L), BR-RX400(F), for 160mm rotor, resin (w/o fin), 1000mm hose(SM-BH90 black) - Disc-brake assembled set/J-kit direct, GRX, ST-RX600(R), BR-RX400(R w/o adapter, for 20mm mount thickness, resin (w/o fin), 1700mm hose (SM-BH90 black)+ Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2black
REAR DERAILLEUR	Shimano RD-RX812, GRX 11-speed, top normal shadow plus design, direct attachment, direct mount compatible
MOTOR/BATTERY	E-Bike motion X35 PLUS motor, battery and iWOC One remote control, ANT+ compatible
CRANKSET	Shimano FC-RX600, GRX, 11-speed, 2-pcs FC, 170-172.5-175mm, 40T w/o BB parts, Crank Length: 170mm- XS/S, 172.5mm-M/L, 175mm-XL
BOTTOM BRACKET	Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE / FREEWHEEL	Shimano CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT86 6-bolt type 160mm, Rotor for disc-brake, SM-RT86, S 160mm, 6-bolt type (2pcs)
FRONT HUB	Formula RX-812 road disc , alloy 32h, 6 bolts, 2SB bearing, J-bend, thru axle 12x100mm, w/o QR w/o logo.
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet
TIRE	Kenda FLINTRIDGE 700x35, 60TPI
STEM	Velomann ST182A, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 90mm-XS, 100mm-S, 110mm-M/L, 120mm-XL
HANDLEBAR	Velomann RA68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, Size: 400mm-XS/S, 420mm-M/L, 440mm-XL
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo color= Black
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS/SM, 350mm-MD/LG/XL
SADDLE	Selle Royal Velomann 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm

E-SUV RACER - XTR 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBQ1
COLOR	CM: Black CK16-Chrome Full Glossy
FRAME	E-SUV carbon - Shimano EP8, BIANCHI 150mm Full Carbon, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43, 48, 53cm
REAR SHOCK	Fox Float X2 Factory, Trunnion 185/55, LV, EVOL, lower hardware 8x24,88mm, 2 position Lever w/ open mode adj
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R 1.5"/ACR Matt black w/o Top Cap w/TH-874-1
FORK	Fox 38 Float 29" Factory, e-MTB version, 160mm travel, Fit4 3 Pos Lever w/micro adjuster, Kashima upper tubes, Rebound, Air spring pressure, 1.5" tapered HT, Kobolt 15x110mm BOOST axle, 44mm rake
SHIFTER	Shimano XTR 1x12 w/o Optical Gear Display, I-spec EV, SL- M9100IR
REAR DERAILLEUR	Shimano XTR Shadow+ Design 12s, RD-M9100SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano FC-EM600 Alu crank 165mm, 24mm axle w/Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M8100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M8100-12, 12sp, 10-51T
BRAKE	Shimano BL-M9120 w/rear J-Kit only, 4 pistons brakes, resin pad, w/SM-MA-F203P/PM front & rear adapter
DISC ROTOR	Shimano RT-MT900 FRONT & RT-EM910 REAR with magnet for speed sensor, 203mm front & rear
RIM/WHEELSET	DT Swiss HXC1501 Spline Carbon 29" 30mm, 15x110TA front, 12x148TA rear Shimano 12sp Microspline body, TL-ready rim w/eyelets including tubeless band and valve, centerlock
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	integrated in the handlebar
HANDLEBAR	integrated carbon handlebar-stem, 40mm stem Length +6°, 800mm width 7° backsweep, 5° upsweep, 25mm rise
GRIP/TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Fox Transfer Factory internal 31,6mm, travele 125mm-17", 150mm-19,21"
SADDLE	Fi'zi:k Alpaca Terra F207URN , S alloy rail, 249x145
FRONT light	FRANCE ONE w/refl. w/o batteries, adjustable clamp, French approved,
REAR LIGHT	LUXOFLEX w/refl. w/batteries, adjustable clamp, French approved
BATTERY	- LI-ION BATTERY, 36V 720WH, 10S4P, HORIZONTAL,BLACK, FOR SHIMANO MOTOR SYSTEM (EK.A4C0G.011) - PACK MOUNT SET E4C0G-011 HORIZONTAL-SHORT WITHCABLE MOTOR-300MM (5J.E4C0G.0A2) - ACCESSORY PACK E4C0C POWER BUTTON-700MM -D TYPE (5J.E4C0C.018) - ACCESSORY PACK E4C0G CABLE CHARGER-360MM (5J.E4C0G.0C1) - BATTERY CHARGER, SMART PLUS, 100-240V, 4A, EN (TBD) - CONN ADAPTER CHARGE E4C0G, 64.5*59*24 (TBD)
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length (from the display to the motor) Electric wire EW-SD300 400mm length (for assist switch)

E-SUV RALLY - XTR 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBQ2
COLOR	CM: Black CK16-Chrome Full Glossy
FRAME	E-SUV carbon - Shimano EP8, BIANCHI 150mm Full Carbon, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43, 48, 53cm
REAR SHOCK	Fox Float DPX2 Factory, Trunnion 185/55, LV, EVOL, lower hardware 8x24,88mm, 2 position Lever w/ open mode adj
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R 1.5"/ACR Matt black w/o Top Cap w/TH-874-1
FORK	Fox 38 Float 29" Factory, e-MTB version, 150mm travel, Fit4 3 Pos Lever w/micro adjuster, Kashima upper tubes, Rebound, Air spring pressure, 1.5" tapered HT, Kabolt 15x110mm BOOST axle, 44mm rake
SHIFTER	Shimano XTR 1x12 w/o Optical Gear Display, I-spec EV, SL- M9100IR w/2050mm inner
REAR DERAILLEUR	Shimano XTR Shadow+ Design 12s, RD-M9100SGS top normal, direct attachment, for 10-51T max
CRANKSET	FC-EM600 Alu crank 165mm, 24mm axle serraction, Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M8100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M8100-12, 12sp, 10-51T
BRAKE	Shimano BL-M8120 w/rear J-Kit only, 4 pistons brakes, resin pad, w/SM-MA-F203P/PM front adapter & w/SM-MA-F203P/PM for rear
DISC ROTOR	Shimano RT-MT800 FRONT & RT-EM810 REAR with magnet for speed sensor, 203mm front & rear, CenterLock w CL ring external serration
RIM/WHEELSET	DT Swiss HX 1501 Spline 27,5 rear 35mm & 29 front" 30mm, 15x110TA front, 12x148TA rear Shimano 12sp Microspline body, TL-ready rim w/eyelets including tubeless band and valve, centerlock
TIRE	Front: Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type Rear: Kenda Regolith 27.5x2.8, 60tpi EMC, DTC compound, 71-584 folding type
STEM	integrated in the handlebar
HANDLEBAR	integrated carbon handlebar-stem, 40mm stem Length +6°, 800mm width 7° backsweep, 5° upsweep, 25mm rise
GRIP/TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Fox Transfer Factory internal 31,6mm, travel 125mm-17", 150mm-19,21"
SADDLE	Fi'zi:k Alpaca Terra F207URN , S alloy rail, 249x145
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model + SECOND FRONT LIGHT lupine SL-F Shimano
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
BATTERY	- LI-ION BATTERY, 36V 720WH, 10S4P, HORIZONTAL,BLACK, FOR SHIMANO MOTOR SYSTEM (EK.A4C0G.011) - PACK MOUNT SET E4C0G-011 HORIZONTAL-SHORT WITHCABLE MOTOR-300MM (5J.E4C0G.0A2) - ACCESSORY PACK E4C0G POWER BUTTON-700MM -D TYPE (5J.E4C0C.018) - ACCESSORY PACK E4C0G CABLE CHARGER-360MM (5J.E4C0G.0C1) - BATTERY CHARGER, SMART PLUS, 100-240V, 4A, EN (TBD) - CONN ADAPTER CHARGE E4C0G, 64.5*59*24 (TBD)
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length (from the display to the motor) Electric wire EW-SD300 400mm length (for assist switch)
MUDGUARDS	Front & rear integrated mudguards

E-SUV ADVENTURE - GX EAGLE 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBQ3
COLOR	CM: Black CK16-Chrome Full Glossy
FRAME	E-SUV carbon - Shimano EP8 BIANCHI 150mm Full Carbon, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43, 48, 53cm
REAR SHOCK	Sram Deluxe Select+ RL, 185/55 TR, black finish tube, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Rock Shox ZEB Select 29B" DebonAir , 150mm, Extl rebnd, Charger RC Damper , 1.1/5" Alu HT, 15x110 BOOST, 38mm stanchions, E-MTB Decal, PM 200mm disc mount, Maxle Stealth, 44mm offset
SHIFTER	Sram GX EAGLE 1x12 trigger single click for e-bike + discrete clamp
REAR DERAILLEUR	GX Eagle 12s long cage carbon
CRANKSET	Shimano FC-EM600 Alu crank 165mm, 24mm axle, w/SRAM chainring XSYNC2 34T, chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Sram NX EAGLE, 12sp
CASSETTE/FREEWHEEL	Sram PG1230, 12sp, 11-50T
BRAKE	Shimano BL-M6120 w/rear J-Kit only, Shimano logo, resin pad, w/o front adapter & w/SM-MA-F203P/PM for rear
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, 203mm front & rear, CenterLock
RIM/WHEELSET	DT Swiss H1900 Spline 27,5 rear* 35mm & 29 front 30mm, 15x110TA front, 12x148TA rear Shimano body, TL-ready rim w/tubeless band and valve, centerlock
TIRE	Front: Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type Rear: Kenda Regolith 27,5x2.8, 60tpi EMC, DTC compound, 71-584 folding type
STEM	Velomann ST97Q +/-0°, 1,1/8 x diam.35mm, ext: 50mm
HANDLEBAR	Velomann rise MTB488Q.7, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann YSP32J-FL, diam.31,6mm, internal remote cable routing, travel: 125mm-17", 150mm-19,21"
SADDLE	Fi'zi:k Alpaca Terra F207URN , S alloy rail, 249x145 Celeste color
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MUDGUARDS	Front & rear integrated mudguards
BATTERY	-LI-ION BATTERY, 36V 720WH, 10S4P, HORIZONTAL,BLACK, FOR SHIMANO MOTOR SYSTEM (EK.A4C0G.011) - PACK MOUNT SET E4C0G-011 HORIZONTAL-SHORT WITHCABLE MOTOR-300MM (5J.E4C0G.0A2) - ACCESSORY PACK E4C0C POWER BUTTON-700MM -D TYPE (5J.E4C0C.018) - ACCESSORY PACK E4C0G CABLE CHARGER-360MM (5J.E4C0G.0C1) - BATTERY CHARGER, SMART PLUS, 100-240V, 4A, EN (TBD) - CONN ADAPTER CHARGE E4C0G, 64,5*59*24 (TBD)
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length 4-arm spider 104BCD SM-CRE80-B for 53mm chainline (change the chainring with the SRAM XSYNC2 34T 00.6218.011.004) Gear Fixing Bolt (M8 x 8.5 / 1 Unit = 4 pcs.) & Nut (1 Unit = 4 pcs.) Electric wire EW-SD300 1400mm length (from the display to the motor) Electric wire EW-SD300 400mm length (for assist switch)

E-OMNIA FX TYPE - XT 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBA4
COLOR	BC: Blu Notte/CK16 Full Glossy OR: Black/Gray Matt-Glossy
FRAME	e-Omnia FX Type alloy FS 29"- Bosch Gen4, 150mm Alloy , 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)
REAR SHOCK	Float DPS Performance, Trunnion 185/55, LV, EVOL, lower hardware 8x24,88mm, 3 position Lever
SEATPOST CLAMP	Integrated
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Fox Float 36 Rhythm 29", 160mm travel, damper grip, Sweep Adjust, Rebound, Float Evol spring, 1.5" tapered HT, QR:15x110, 44mm rake
SHIFTER	Shimano Deore SL-M6100-R 1x12sp
REAR DERAILLEUR	XT Shadow + Design 12sp, top normal, direct attachment, for 10-51T max
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS black FSA 1x Alloy Spider, Boost148 / Alloy / SB black / for SMN/SRAM 12SP FSA ISIS CrMo M15 crank arm bolts ML054 Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	CN-M7100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-MT520 w/rear J-Kit only, resin pad, w/203 adapter for front & rear, I-SPEC II compatible
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, 203mm front & rear, CenterLock
RIM/WHEELSET	WTB Velomann ST30 TCS 2.0 29", 30mm 29", 32 hole drilling, Disc Only
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	Velomann ST97Q +/-0°, 1.1/8", diam.35mm, lenght: 50mm
HANDLEBAR	Velomann rise MTB488Q.7, width 780mm, diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann YSP18JL, Ø31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, 100m travel- 15" size, 120mm travel-17" size TBDmm L - 150m travel --> 19",21" sizes
SADDLE	Velomann 1285URN, manganese rail, lenght 277mm x width 144mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 4A 10) Charger Power Cable Europe 11) Display Purion Anthracite cable 1500mm 12) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 13) light cable front 200mm 14) light cable rear 200mm
MUDGUARDS	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up like SUV

E-OMNIA FX TYPE - GX EAGLE 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBA3
COLOR	BC: Blu Notte/CK16 Full Glossy OR: Black/Gray Matt-Glossy
FRAME	e-Omnia FX Type alloy FS 29" - Bosch Gen4, 150mm Alloy , 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)
REAR SHOCK	Rock Shox Deluxe Select+ RL, 185/55 TR, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	Integrated
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Rock Shox YARI RC 29B" Solo Air, 150mm, Extl rebnd, MOTION Control Damper , 1.1/5" Alu HT, 15x110 BOOST, 35mm stanchions, PM 180mm disc mount, Maxle Stealth, 42mm offset
SHIFTER	Sram SX EAGLE 1x12 trigger single click for e-bike
REAR DERAILLEUR	Sram GX Eagle 12sp long cage carbon
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS black FSA ISIS CrMo M15 crank arm bolts ML054 EAGLE 34T CHAINRING direct mount Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Sram SX EAGLE, 12sp
CASSETTE/FREEWHEEL	Sram PG1210, 12sp, 11-50T
BRAKE	Shimano BL-MT520 w/rear J-Kit only, resin pad, w/203 adapter for front & rear, I-SPEC II compatible
DISC ROTOR	Shimano SM-RT30 CL 203mm front & rear, CenterLock w CL ring external serration
RIM/WHEELSET	Velomann ST30 TCS 2.0 29", 30mm 29", 32 hole drilling, Disc Only
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	Velomann ST97Q +/-0°, 1.1/8", diam.35mm, lenght: 50mm
HANDLEBAR	Velomann rise MTB488Q.7, width 780mm, diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp- black color
SEATPOST	Velomann YSP18JL, diam.31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN 100m travel-15" size 120mm travel-17" size 150m travel-19",21" sizes
SADDLE	Velomann 1285URN, manganese rail, lenght 277mm x width 144mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 2A 10) Charger Power Cable Europe 11) Display Purion Anthracite cable 1500mm 12) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 13) light cable front 200mm 14) light cable rear 200mm
MUDGUARDS	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up like SUV

E-OMNIA X TYPE - DEORE 1X11



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBA1
COLOR	BC: Blu Notte/CK16 Full Glossy OR: Black/Gray Matt-Glossy
FRAME	e-Omnia X Type HT Alu 29", 120mm front suspended, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCR34 AIR Boost LOR DS 29" 120mm, with LOR, 1.5" tapered HT, Air spring w/pre-load adjust, 34mm stanchions, PM 180mm disc mount, 15X110 TA 15AH2-110,
SHIFTER	Deore SL-M5100-R 1x11sp, clamp band
REAR DERAILEUR	Deore RD-M5100 1x11s, 11-51T Max
CRANKSET	FSA CK-320/IS Die cast AL crank 165 mm ISIS black FSA E-BIKE CHAINRING 34T STEEL FOR 104BCD SPIDER FSA W0147 1x Steel Spider BCD104/Steel/ED/ CL 53mm FSA ISIS CrMo M15 crank arm bolts ML054 FSA STEEL CHAINRING BOLTS ML084(bolt)×4 +ML163(nut)×4
BOTTOM BRACKET	included in the motor
CHAIN	Kmc e11T EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-M5100-11, 11sp, 11-51T
BRAKE	Shimano MT401 w/rear J-Kit only, Shimano logo, resin pad, w/o adapter
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock w/o CL ring for front only, for resin pad only
RIM/WHEELSET	Velomann ST30 TCS 2.0 29", 30mm 29", 32 hole drilling, Disc Only, Black Anodized, Single Eyelets, PV drilled Sleeved Joint
TIRE	Kenda Booster 29x2.6, 30tpi
STEM	Velomann ST97A +/-0°, 1.1/8", diam. 31,8mm, 55mm for 15,17,19,21" w/ decals
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm for 17" size and 400mm for 19,21", diam.31,6mm, 0mm seatback, AL2014 shaft
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch
PEDALS	NW-91K, PP black body, w/ED steel cage, Boron ED black axle, BS reflector w/toe-clip & strap, w/instruction sheet
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 2A 10) Charger Power Cable Europe 11) Display Purion Anthracite cable 1500mm 12) light cable front 200mm 13) light cable rear 200mm
MUDGUARDS	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up 1.3.6 Mudgard Post Up Low 1.3.7

E-OMNIA X TYPE - SX EAGLE 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBA2
FRAME	E-MTB OMNIA X Type HT Alu 29" BIANCHI 120mm front suspended, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL) - Set dropout (sx+dx), TA 148mm external derailleur + SRAM UDH
HEADSET	NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, E-MTB Decal, PM 160mm disc mount, Maxle Stealth, 42mm offset + SKS set 11564 stay mounting clamps d.40 to d.43
SHIFTER	SX EAGLE 1x12 trigger single click for e-bike
REAR DERAILLEUR	SX EAGLE 12s long cage
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS black, FSA ISIS CrMo M15 crank arm bolts ML054 , EAGLE 34T CHAINRING direct mount
BOTTOM BRACKET	included in the motor
CHAIN	SX EAGLE, 12sp, 126 link
CASSETTE / FREEWHEEL	PG1210, 12sp, 11-50T
BRAKE	MT4100 w/rear J-Kit only, Shimano logo, resin pad, w/SM-MA-F180P/P2 adapter for front
DISC ROTOR	SM-RT10 CL 180mm front & rear, CenterLock w/o CL ring for front only, for resin pad only
FRONT HUB	HB-MT400-B for Center Lock, 32holes, thru axle 15X110mm
REAR HUB	FH-MT400-B for CenterLock, 32h 12X148mm BOOST, 8/9/10/11 speed body
RIM/WHEELSET	Velomann ST30 TCS 2.0 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only, Black Anodized, Single Eyelets, PV drilled Sleeved Joint
TIRE	Kenda Booster 29x2.6, 30tpi
STEM	Velomann ST97A +/-0°, 1,1/8 x Ø31,8mm, 55mm for 15,17,19,21" w/ decals
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6, sandblast anodized w/laser graphics
GRIP / TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp- black color
SEATPOST	Velomann SP-7019, lenght 350mm-17" and 400mm-19/21", diam.31,6mm, 0mm seatback, AL2014 shaft + alloy head
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch 7723 black color w/Black on Black graphics
PEDALS	NW-91K, PP black body, w/ED steel cage, Boron ED black axle, BS reflector w/toe-clip & strap, w/instruction sheet
FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector . Custom front light based on Axendo 40 model
REAR LIGHT	BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 2A 10) Charger Power Cable Europe 11) Display Purion Anthracite cable 1500mm 12) light cable front 200mm 13) light cable rear 200mm
MUDGUARDS	Mudgard Ant Mid 1.3.3, Mudgard Ant Low 1.3.4 , Mudgard Ant Up 1.3.5, Mudgard Post Up 1.3.6, Mudgard Post Up Low 1.3.7

T-TRONIK PERFORMER 9.1 - XTR/XT 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBU7
COLOR	5G: Black/ CK16 Full Glossy
FRAME	T-Tronik Performer carbon - Shimano EP8, 140mm Carbon front triangle, rear alu triangle, 1.5" tapered HT, seatpost diam. 31,6mm, seat clamp diam.34.9, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53
REAR SHOCK	Fox Float DPS Factory, Trunnion 185/50, LV, EVOL, lower hardware 8x24,88mm, 3 position Lever
SEATPOST CLAMP	CL-FJ21-1-35.4, 35,4mm CLAMP
HEADSET	Fsa NO.77R 1.5"/ICR(Bianchi), NO.77R 1.5"/ICR SB
FORK	Fox 38 Float 29" Factory, e-MTB version, 160mm travel, Fit4 3 Pos, Lever w/micro adjuster, Kashima upper tubes, Rebound, Air spring pressure, 1.5" tapered HT, Kabolt 15x110mm BOOST axle, 44mm rake
SHIFTER	Shimano XT 1x12 w/o Optical Gear Display, I-spec EV, SL- M8100R w/2050mm inner
REAR DERAILLEUR	Shimano XTR Shadow+ Design 12s, RD-M9100SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano FC-EM600 Alu crank 165mm, 24mm axle serraction, Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M7100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-M8120 w/rear J-Kit only, 4 pistons brakes, resin pad, w/203 front adapter & for rear
DISC ROTOR	Shimano RT-MT800 FRONT & RT-EM810 REAR with magnet for speed sensor, 203mm front & rear, CenterLock
RIM/WHEELSET	DT Swiss HX1700 Spline 29" 30mm, 15x110TA front, 12x148TA rear Shimano 12sp Microspline body, TL-ready rim w/eyelets including tubeless band and valve, centerlock
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	TEC Cursus +/-0°, 1 1/8", diam. 35mm, 50mm for 15,17,19,21"
HANDLEBAR	TEC Cursus rise JD-MTB488Q.7, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Fox Transfer Factory internal 31,6mm, travel 100mm-15", 125mm-17" size, 150mm-19,21"
SADDLE	Fizik Alpaca Terra F207URN , S alloy rail, 249x145
PEDALS	Fasten NW-91K
BATTERY	- Simplo Battery TP-SMN-01-50S 630Wh - Main cable assembly A - On-bike charge connect cable harness - Satellite switch cable harness - 36V 4A charger with Round type adaptor - Portable metallic top side fixation - without key lock - Portable metallic bottom side fixation - Portable plastic top side fixation - Portable plastic bottom side fixation - ABUS Keylock URV7
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length Electric wire EW-SD300 400mm length

T-TRONIK PERFORMER 9.2 - XT 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBU6
COLOR	5G: Black/ CK16 Full Glossy
FRAME	T-Tronik Performer carbon - Shimano EP8, 140mm Carbon front triangle, rear alu triangle, 1.5" tapered HT, seatpost diam.31.6mm, seat clamp diam.34.9, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53
REAR SHOCK	Fox Float DPS Performance, Trunnion 185/50, LV, EVOL, lower hardware 8x24,88mm, 3 position Lever
SEATPOST CLAMP	CL-FJ21-1-35.4, 35,4mm CLAMP
HEADSET	Fsa NO.77R 1.5"/ICR(Bianchi), NO.77R 1.5"/ICR SB
FORK	Fox 38 Float 29" Performance, e-MTB version, 150mm travel, Grip 3-Pos Lever w/micro adjuster, black upper tubes, Rebound, Air spring pressure, 1.5" tapered HT, Kabolt 15x110mm BOOST axle, 44mm rake
SHIFTER	Shimano XT 1x12 w/o Optical Gear Display, SL- M8100R w/2050mm inner
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max
CRANKSET	FC-EM600 Alu crank 165mm, 24mm axle serraction, Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M7100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-M8120 w/rear J-Kit only, 4 pistons brakes, resin pad, w/203 front adapter & for rear, I-SPEC EV compatible
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, 203mm front & rear, CenterLock w CL ring external serration W/ speed sensor magnet
RIM/WHEELSET	DT Swiss H1900 Spline 29" 30mm, 15x110TA front, 12x148TA rear Shimano 12sp body, TL-ready rim w/eyelets including tubeless band and valve, centerlock
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	TEC Cursus +/-0°, 1.1/8", diam.35mm, ext: 50mm
HANDLEBAR	TEC Cursus rise JD-MTB488Q.7, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp- black color
SEATPOST	JD-YSP32J-FL, diam.31.6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, travel: 100mm-15", 125mm-17", 150mm-19,21"
SADDLE	Fi'zi:k Alpaca Terra F207URN , S alloy rail, 249x145
PEDALS	Fasten NW-91K
BATTERY	- Simplo Battery TP-SMN-01-50S 630Wh - Main cable assembly A - On-bike charge connect cable harness - Satellite switch cable harness - 36V 4A charger with Round type adaptor - Portable metallic top side fixation - without key lock - Portable metallic bottom side fixation - Portable plastic top side fixation - Portable plastic bottom side fixation - ABUS Keylock URV7
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length Electric wire EW-SD300 400mm length

T-TRONIK PERFORMER 9.3 - XT MIX 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBU5
COLOR	5G: Black/ CK16 Full Glossy
FRAME	T-Tronik Performer carbon - Shimano EP8, 140mm Carbon front triangle, rear alu triangle, 1.5" tapered HT, seatpost diam.31,6mm, seat clamp Ø34.9, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53
REAR SHOCK	Fox Float DPS Performance, Trunnion 185/50, LV, EVOL, lower hardware 8x24,88mm, 3 position Lever
SEATPOST CLAMP	CL-FJ21-1-35.4, 35,4mm CLAMP
HEADSET	Fsa NO.77R 1.5"/ICR(Bianchi), NO.77R 1.5"/ICR SB black w/H2504 w/TH-874-1 Stainless bolt
FORK	Rock Shox YARI RC 29B* Solo Air, 150mm, Extl rebnd, MOTION Control Damper , 1.1/5" Alu HT, 15x110 BOOST, 35mm stanchions, E-MTB Decal, PM 180mm disc mount, Maxle Stealth, 42mm offset
SHIFTER	Shimano Deore SL-M6100-IR 1x12, I-spec EV
REAR DERAILLEUR	Shimano XT Shadow + Design 12s, RD-M8100-SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano FC-EM600 Alu crank 165mm, 24mm axle serraction, Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M6100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-M6120 w/rear J-Kit only, Shimano logo, resin pad, w/203 front adapter & for rear, I-SPEC EV
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, 203mm front & rear, CenterLock w CL ring external serration W/ speed sensor magnet
RIM/WHEELSET	WTB KOM Trail i30 TCS 2.0 29", 32 hole drilling
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	TEC Cursus +/-0°, 1.1/8", diam.35mm, ext: 50mm
HANDLEBAR	TEC Cursus rise JD-MTB488Q.7, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	JD-YSP32J-FL, diam. 31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, travel: 100mm-15", 125mm-17", 150mm-19,21"
SADDLE	Fizik Alpaca Terra F207URN , S alloy rail, 249x145 blk/blk
PEDALS	Fasten NW-91K
BATTERY	- Simplo Battery TP-SMN-01-50S 630Wh - Main cable assembly A - On-bike charge connect cable harness - Satellite switch cable harness - 36V 4A charger with Round type adaptor - Portable metallic top side fixation - without key lock - Portable metallic bottom side fixation - Portable plastic top side fixation - Portable plastic bottom side fixation - ABUS Keylock URV7
MOTOR UNIT	Cycle computer SC-EM800, 35mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length Electric wire EW-SD300 400mm length

T-TRONIK REBEL 9.1 - XT/DEORE 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBZ1
COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-TRONIK Rebel FS, SHIMANO STEPS DRIVE UNIT, 140mm alu 6061 triple butted, 1.5" tapered HT, seatpost diam.31,6mm, seat clamp diam.34.9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53
REAR SHOCK	Rock Shox Deluxe Select+ RL, 185/50 TR, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	Promax MX-112C diam.34,9mm
HEADSET	Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1.1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Rock Shox YARI RC 29B" Solo Air, 150mm, Extl rebnd, MOTION Control Damper , 1.1/5" Alu HT, 15x110 BOOST, 35mm stanchions, E-MTB Decal, PM 180mm disc mount, Maxle Stealth, 42mm offset
SHIFTER	Shimano Deore SL-M6100-IR 1x12, I-spec EV
REAR DERAILLEUR	Shimano XT Shadow + Design 12s, RD-M8100-SGS top normal, direct attachment, for 10-51T max
CRANKSET	FSA CK-751 Forged Alu crank 165 mm
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M6100, 12sp
CASSETTE/FREEWHEEL	Shimano GS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-M6120 w/rear J-Kit only, resin pad, w/203 front adapter & for rear, I-SPEC EV compatible
DISC ROTOR	Shimano SM-RT64 CL 203mm front & rear, CenterLock w CL ring external serration
RIM/WHEELSET	WTB KOM Trail i30 TCS 2.0 29", 32 hole drilling
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	TEC Obvius +/-0°, 1.1/8", diam.31,8mm, ext: 55mm
HANDLEBAR	TEC Obvius rise JD-MTB463A, width 780mm diam.31,8mm, rise 15mm, backsweep 9°, double butted AL6061-T6
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	JD-YSP18JL, Ø31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN travel: 100mm-15", 120mm-17", 150mm-19,21"
SADDLE	Selle Royal Seta S1, manganese rail, lenght 277mm x width 144mm
PEDALS	Fasten NW-91K
BATTERY	- Battery Darfon 630 Wh - pack mount horizontal short type - accessory pack cable charger 360 mm - accessory pack power button 700 mm - battery charger 36V 4A - accessory pack conn adapter
MOTOR UNIT	Cycle computer SC-EM800, 31,8mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length (from the display to the motor) Electric wire EW-SD300 400mm length (for assist switch) Chainguide CD-EM800 for 36/34T with plate for drive unit fixing

T-TRONIK REBEL 9.2 - NX/SX EAGLE 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBZ3
COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-TRONIK Rebel FS, SHIMANO STEPS DRIVE UNIT, 140mm alu 6061 triple butted, 1.5" tapered HT, seatpost diam.31,6mm, seat clamp diam.34,9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53
REAR SHOCK	Rock Shox Deluxe Select+ RL, 185/50 TR, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	Promax MX-112C diam.34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1.1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Rock Shox Recon Silver RL 29B" Solo Air, E-MTB decal, 140mm, Extl rebnd, low speed comp to lock , 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 42mm offset
SHIFTER	Sram SX EAGLE 1x12 trigger single click for e-bike
REAR DERAILLEUR	Sram NX EAGLE 12s long cage
CRANKSET	FSA CK-751 Forged Alu crank 165 mm black FSA Spider for Shimano E8000 systems CRING X-SYNC EAGLE 34T 104BCD STEEL EMTB WITH BOLTS
BOTTOM BRACKET	included in the motor
CHAIN	Sram SX EAGLE, 12sp
CASSETTE/FREEWHEEL	Sram PG1210, 12sp, 11-50T
BRAKE	Sram Guide T, 4 piston caliper, 40P bracket front & rear adapter
DISC ROTOR	Sram Centerline rotor 200mm front & rear
RIM/WHEELSET	WTB ST Light i30 TCS 2.0 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	TEC Obvius +/-0°, 1.1/8", diam.31,8mm, ext: 55mm
HANDLEBAR	TEC Obvius rise JD-MTB463A, width 780mm diam.31,8mm, rise 15mm, backsweep 9°, double butted AL6061-T6
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	JD-YSP18JL, Ø31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, travel: 100mm-15", 120mm-17", 150mm-19,21"
SADDLE	Selle Royal TEC RECTOR, 140mm width, Steel rails black, PVC soft touch
PEDALS	Fasten NW-91K
BATTERY	- Battery Darfon 630 Wh - pack mount horizontal short type - accessory pack cable charger 360 mm - accessory pack power button 700 mm - battery charger 36V 4A - accessory pack conn adapter
MOTOR UNIT	Cycle computer SC-EM800, 31,8mm clamp Switch SW-EM800-L, Drive Unit DU-EP800 Speed Sensor EW-SS301, 760mm cable length Chainring/spider SM-CRE80-12B 34T for 53mm chainline Electric wire EW-SD300 1400mm length (from the display to the motor) Electric wire EW-SD300 400mm length (for assist switch) Chainguide CD-EM800 for 36/34T with plate for drive unit fixing

T-TRONIK SPORT 9.1 - DEORE 1X10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBU9
COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-Tronik Sport HT, alu 6061 triple butted, 1.5" tapered HT,compatible, seatpost diam.31,6mm, seat clamp diam.34.9, PM 160mm dropout BoostQR 12x141mm, internal cable routing inside DT, sizes 38,43,48,53
SEATPOST CLAMP	Promax 339QX diam.34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1-1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Suntour XCR34 AIR Boost LOR DS 29" 120mm, with LOR, 1.5" tapered HT, alloy crown, Air spring w/pre-load adjust, 34mm stanchions, PM 180mm disc mount, 15X110 TA 15AH2-110
SHIFTER	Shimano Deore SL-M4100-R, RIGHT, 10-SPEED RAPIDFIRE PLUS 2050MM INNER, W/O OPTICAL GEAR DISPLAY, BULK
REAR DERAILEUR	Shimano Deore RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	FSA CK-751 Forged Alu crank 165 mm black FSA Spider for Shimano E8000 systems FSA Steel MegaTooth Chainring - 34T / BCD104/ Steel / ED black / w/FSA Logo FSA Chainring Steel bolt/nut - ML138(bolt)×4 +ML462(nut)×4 / ED
BOTTOM BRACKET	included in the motor
CHAIN	Kmc e10S EPT Anti-Rust (Sport) 1/2" x 11/128" 126link EPT
CASSETTE/FREEWHEEL	Shimano Deore CS-M4100-10, 10sp, 11-46T
BRAKE	Shimano MT401 w/rear J-Kit only, Shimano logo, resin pad, w/SM-MA-F180P/P2 adapter for rear
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock w/o CL ring for front only, for resin pad only
RIM/WHEELSET	WTB XC25 TCS rim Tubeless Ready 29", Sleeved, 32 hole black, Black Anodized, PV drilled, 4 stickers total, 6061-T6, 622x25
TIRE	Kenda SLANT SIX Sport - 29x2.35, DTC compound, 60Tpi, ETRTO 60-622
STEM	Velomann ST154A +/-7°, 1.1/8", diam.31.8mm, ext: 60mm-15/17/18", 70mm-21", 3D forged alloy 6061
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm-15/17" and 400mm-19/21", diam.31,6mm, 0mm seatback, AL2014 shaft
SADDLE	Selle Royal Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch 7723
PEDALS	Fasten NW-91K
BATTERY	BN21S Battery pack 522 Wh vertical Mounting parts and accessories Battery charger 4A, Euro plug
MOTOR UNIT	Cycle computer SC-E7000 for 31,8 mm hbar Switch SW-E7000 for left side - 400 mm wire included Drive Unit DU-E7000 Speed Sensor SM-DUE10 Electric wire EW-SD50 - 1200 mm length Satellite System On/Off switch, EW-SW100, E-Tube cable 1100 mm

T-TRONIK SPORT 9.2 - ALTUS 1X9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBV8
COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-Tronik Sport HT, alu 6061 triple butted, 1.5" tapered HT,compatible, seatpost diam.31,6mm, seat clamp diam.34.9, PM 160mm dropout BoostQR 12x141mm, internal cable routing inside DT, sizes 38,43,48,53
SEATPOST CLAMP	Promax 339QX diam.34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1.1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Suntour XCM32 Boost NLO DS 29" 120mm, with NLO lockout, 1.5" tapered HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, alloy lowers w/PM 160mm disc mount, 15X110 TA 15AH2
SHIFTER	Shimano Alivio SL-M3100 1x9 RapidFire Plus, w/2050mm inner
REAR DERAILLEUR	Shimano ALTUS 9s, RD-M2000 top-normal, direct attachment, for 11-36T max
CRANKSET	FSA CK-751 Forged Alu crank 165 mm black FSA Spider for Shimano E8000 systems FSA Steel MegaTooth Chainring - 34T / BCD104/ Steel / ED black / w/FSA Logo FSA Chainring Steel bolt/nut - ML138(bolt)×4 +ML462(nut)×4 / ED
BOTTOM BRACKET	included in the motor
CHAIN	Kmc E9s, 9s, 1/2"X11/128"
CASSETTE/FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/180 adapters for fron & rear, w/J-kit only for rear, resin pad, w/o rotor
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock w/o CL ring for front only, for resin pad only
RIM/WHEELSET	WTB XC25 TCS rim Tubeless Ready 29", Sleeved, 32 hole black, Black Anodized, PV drilled, 4 stickers total, 6061-T6, 622x25
TIRE	Kenda SLANT SIX Sport - 29x2.35, DTC compound, 60Tpi, ETRTO 60-622
STEM	Velomann ST154A +/-7°, 1.1/8", diam.31.8mm, ext: 60mm-15/17/18" and 70mm-21", 3D forged alloy 6061
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm-15/17" and 400mm-19/21", diam.31,6mm, 0mm seatback, AL2014 shaft
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch
PEDALS	Fasten NW-91K
BATTERY	BN21S Battery pack 522 Wh vertical Mounting parts and accessories Battery charger 4A, Euro plug
MOTOR UNIT	Cycle computer SC-E7000 for 31,8 mm hbar Switch SW-E7000 for left side - 400 mm wire included Drive Unit DU-E7000 Speed Sensor SM-DUE10 Electric wire EW-SD50 - 1200 mm length Satellite System On/Off switch, EW-SW100, E-Tube cable 1100 mm

T-TRONIK SPORT 9.2 - ALTUS 1X9SP (AVAILABLE ONLY FOR SPAIN AND ITALY)



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBUI
COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-Tronik Sport HT, alu 6061 triple butted, 1.5" tapered HT, seatpost diam. 31.6mm, seatpost clamp diam. 34.9mm, PM 160mm, Boost dropout QR 12x141mm, internal cable routing, sizes 38-43-48-53cm
SEATPOST CLAMP	339QX, diam.34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap
FORK	SR Suntour XCM32 Boost NLO DS 29" 120mm, with NLO lockout, 1.5" tapered HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, alloy lowers w/PM 160mm disc mount, thru axle 15x110mm
SHIFTER	Shimano Alivio SL-M3100 1x9sp
REAR DERAILLEUR	Shimano Altus RD-M2000 9sp top-normal, direct attachment, max 11-36T
CRANKSET	Fsa Alu, crank length:165 mm, w/Fsa e-bike specific 34T chainring
BOTTOM BRACKET	included in the motor
CHAIN	Kmc E9s, 9sp
CASSETTE/FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano BR-MT200 w/180mm front & rear adapter, resin pad
DISC ROTOR	Shimano SM-RT10 CL, diam. 180mm, Center Lock, for resin pad only
RIM/WHEELSET	WTB XC25 TCS rim Tubeless Ready 29", Sleeved, 32 hole black, Black Anodized, PV drilled, 4 stickers total, 6061-T6, 622x25
TIRE	Kenda Slant Six Sport 29x2.35, DTC compound, 60Tpi, ETRTO 60-622
STEM	TEC Obvius forged alloy 6061, +/-7°, 1.1/8", 31.8mm, ext: 60mm-15/19", 70mm-21"
HANDLEBAR	Tec rise, DB Alloy 6061-T6, width 740mm, diam. 31.8mm, 9° backsweep, 15mm rise
GRIP/TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminum clamp
SEATPOST	Tec AL2014 shaft and alloy head, diam 31.6mm, 0mm setback, length: 350mm-15/17", 400mm-19/21"
SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
PEDALS	Fasten NW-91K
MOTOR UNIT	Bianchi Motor Unit 250W 85Nm w/Phyllion 504Wh integrated battery

E-OMNIA FT TYPE - XT 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBW8
COLOR	BK - Black Glossy WW -White Glossy
FRAME	e-Omnia FT Type alloy FS 29"- Bosch Gen4, 100mm Alloy , 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes: 43,48,53 (MD; LG; XL) + Hanger compatible UDH
REAR SHOCK	Rock Shox Deluxe Select+ RL, 165/40 TR, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R/558 1.5"
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, PM 160mm disc mount, 42mm offset
SHIFTER	Shimano Deore SL-M6100-IR 1x12sp
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, top normal, direct attachment, for 10-51T max
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS FSA 1x Alloy Spider, Boost148 / Alloy / SB black / for SMN/SRAM 12SP FSA ISIS CrMo M15 crank arm bolts ML054 Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M7100, 12sp
CASSETTE/FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano BL-MT520 w/rear J-Kit only, resin pad, w/203 adapter for front & rear, I-SPEC II compatible
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, diam. 203mm, CenterLock
RIM/WHEELSET	Velomann ST30 TCS 2.0 29", 30mm 29", 32 hole
TIRE	Schwalbe Hurricane 29 x 2.25, etrto 57x622, Race Guard, compound Addix, wired
STEM	Velomann ST97Q +/-0°, 1.1/8", diam.35mm, lenght: 50mm
HANDLEBAR	Velomann rise MTB488Q.7, width 720mm diam.35mm, rise 20mm, backsweep 9°
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm for 17" size and 400mm for 19,21", diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head
SADDLE	Velomann A037HR0 Gent, black steel rail, no clamp, 285x187mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REARCARRIER/PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann R78 KING EVO REAR max 35kg
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 4A 10) Charger Power Cable Europe 11) Display unit Kiox black 12) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 13) light cable front 200mm 14) light cable rear 200mm
MUDGUARDS	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up 1.3.6 Mudgard Post Up Low 1.3.7

E-OMNIA FT TYPE - DEORE 1X11



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBW9
COLOR	BK - Black Glossy WW -White Glossy
FRAME	e-Omnia FT Type alloy FS 29"- Bosch Gen4, 100mm Alloy , 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes: 43,48,53 (MD; LG; XL) + Hanger compatible UDH
REAR SHOCK	Rock Shox Deluxe Select+ RL, 165/40 TR, external rebound adjustment, lockout, Harware 8X25mm
SEATPOST CLAMP	integrated
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, PM 160mm disc mount, 42mm offset
SHIFTER	Shimano Deore SL-M5100-R 1x11sp
REAR DERAILLEUR	Shimano Deore RD-M5100 1x11sp, 11-51T Max
CRANKSET	FSA CK-320/IS Die cast AL crank 165 mm ISIS black FSA E-BIKE CHAINRING 34T STEEL FOR 104BCD SPIDER FSA W0147 1x Steel Spider BCD104/Steel/ED/ CL 53mm FSA ISIS CrMo M15 crank arm bolts ML054 FSA STEEL CHAINRING BOLTS ML084(bolt)x4
BOTTOM BRACKET	included in the motor
CHAIN	e11T EPT, 11sp, EPT finish
CASSETTE/FREEWHEEL	Shimano CS-M5100-11, 11sp, 11-51T
BRAKE	Shimano BL-MT520 w/rear J-Kit only, resin pad, w/203 adapter for front & rear, I-SPEC II compatible
DISC ROTOR	Shimano RT-64 FRONT & RT-EM600 REAR with magnet for speed sensor, 203mm front & rear, CenterLock
RIM/WHEELSET	WTB Velomann ST30 TCS 2.0 29", 30mm 29", 32 hole drilling, Disc Only
TIRE	Schwalbe Hurricane 29 x 2.25, etrto 57x622, Race Guard, compound Addix, wired
STEM	Velomann ST97Q +/-0°, 1.1/8", diam.35mm, lenght: 50mm
HANDLEBAR	Velomann rise MTB488Q.7, width 720mm, diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP/TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm for 17" size and 400mm for 19,21", diam.31,6mm, 0mm seatback, AL2014 shaft
SADDLE	Velomann A037HR0 Gent, black steel rail, no clamp, 285x187mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REARCARRIER/PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Custom modello Velomann R78 KING EVO REAR max 35kg
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Dual battery Y adapter incl. accessory long 9) Compact charger 2A 10) Charger Power Cable Europe 11) Display Purion Anthracite cable 1500mm 12) light cable front 200mm 13) light cable rear 200mm
MUDGUARDS	PET Mudguards A65 R /28" Front PET A65R x670mm R380 w/angle 29mm, black, 1poly bag 700mm Rear PET A65R x1130mm R380, 1poly bag 1250mm SET accessory U-stays 335mm, with: ESC base plate, ESC stay clip, Screw, nuts, USC SKS version, Damping rubber for USC

E-OMNIA T TYPE - XT 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE4
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA Trekking Trekking ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX, Set dropout (sx+dx) TA 148mm external derailleur, Apro Set Hanger UHD compatible
SEATPOST CLAMP	SCL SET diam. 31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, CR platin, 1.5"to1-1/8" tapered, max rotor 203, post mount 160mm, SKS set stay mounting clamps
SHIFTER	Shimano SL-M6100-R, DEORE, 12sp
REAR DERAILEUR	Shimano RD-M8100, XT, SGS 12-Speed, Top Normal, Shadow Plus Design, Direct Attachment
CRANKSET	FSA CK-320/IS Die cast Alloy, crank lenght: 170mm ISIS black, MegaTooth 38T chainring
CHAIN	Shimano CN-M6100, DEORE, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M6100-12, DEORE, 12sp, 10-12-14-16-18-21-24-28-33-39-45-51T
BRAKE	ShimanoBR-MT410, RESIN PAD
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32holes, 15X110mm TA
REAR HUB	Shimano FH-MT410-B for CenterLock, 32holes, 12X148mm BOOST, 12speed Microspline body
RIM/WHEELSET	EBIKE KARGO 28", 622 x 25c, 32holes, 18mm profile, double wall
TIRE	Schwalbe SUPERMOTO 62-622, 29x2.4
STEM	Velomann TDS-666-8 35/31.8mm, lenght: 95mm for Kiox mount
HANDLEBAR	Velomann WIEN diam. 31.8mm, width: 680mm, rise: 20mm, backsweep 15°
GRIP / TAPE	Herrmans LUNA lock, w/locking
SEATPOST	Velomann SP-368-OV, w/suspension, diam. 31.6mm, lenght: 350mm
SADDLE	Velomann A037HR0, steel rail, no clamp, 285x187mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann R78 KING EVO REAR max 35kg da confermare, esito dopo PROVA DI MONTAGGIO
MUDGUARD / STAY	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up 1.3.6 Mudgard Post Up Low 1.3.7
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Standard charger 4A (220V-240V) 9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA T TYPE - STEP THRU XT 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE5
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA Trekking LADY Trekking ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount disc brake type, Ready to fix rear kycckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/IT/FX, Set dropout (sx+dx) TA 148mm external derailleur
SEATPOST CLAMP	SCL SET diam. 31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5" Custom Anod Black
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, CR platin, 1.5" to 1.1/8" tapered(CTS), STKM, OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct, w/SKS set stay mounting clamps
SHIFTER	Shimano SL-M6100-R, DEORE, RIGHT, 12sp
CRANKSET	Shimano RD-M8100, XT, SGS 12sp, Top Normal, Shadow Plus Design, Direct Attachment
CHAIN	FSA CK-320/IS Die cast AL crank 170mm ISIS black 240NTD FSA ML054 ISIS Bolt CrMo/M15 (pair) 30NTD FSA screw set (ML084+ML163) 4pcs FSA W0147 1x Steel Spider BCD104/Steel/ED/ CL 53mm 70NTD FSA WB460-38T FSA MegaTooth 38T/BCD104/ Steel/ED black/ w/Logo 110NTD FSA W1145(BCD104 36-38T) Alloy/SB black/36-38T/w/FSA Logo/w/MW058Kx4 100NTD
CASSETTE / FREEWHEEL	Shimano CN-M6100, DEORE, FOR HG 12sp
BRAKE	Shimano CS-M6100-12, DEORE, 12sp, 10-12-14-16-18-21-24-28-33-39-45-51T
BRAKE LEVER	Shimano BR-MT410, RESIN PAD
DISC ROTOR	Included in the brake set
FRONT HUB	Shimano SM-RT10 CL 180mm front & rear, CenterLock
REAR HUB	Shimano HB-MT400-B for Center Lock, 32 holes, 15X110mm TA
RIM/WHEELSET	Shimano FH-MT410-B for CenterLock, 32holes, 12X148mm BOOST, 12speed Microspline body
TIRE	EBIKE KARGO 28" - ETRTO 622 x 25C 32hole, 18mm profile, double wall
STEM	Schwalbe SUPERMOTO perf DD.raceguard 62-622 29x2.4
HANDLEBAR	Velomann TDS-666-8, adjustable 35/31.8mm, lenght: 95mm w/Kiox mount
GRIP / TAPE	Velomann WIEN diam.31.8, width:680mm, RISE 20mm, SWEEP 15°
SEATPOST	Herrmans LUNA look DD40BR/BL 130mm/130mm black-black, diam.22mm
SADDLE	Velomann SP-368-OV, diam. 31.6mm, lenght 350mm
FRONT LIGHT	Velomann A037DRO Lady, steel rail, 270x200mm
REAR LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
MUDGUARD / STAY	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) Logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Standard charger 4A (220V-240V) 9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA T TYPE - NEXUS 5SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE6
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA Trekking Trekking ALU, sizes: MD, LG, XL {43,48,53}, IG 135mm, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaXT/FX, Set dropout IG 135mm Internal gear
SEATPOST CLAMP	SCL SET diam. 31.8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Rock Shox Recon Silver RL 29B° Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, PM 160mm disc mount, 42mm offset, SKS set stay mounting clamps
SHIFTER	Shimano SL-C7000-5, NEXUS, REVO SHIFTER, 5sp
CRANKSET	FSA CK-320/IS Die cast AL, crank lenght: 170mm ISIS , CDX Spider Assembly, 39T
CHAIN	CDXB118, CDX Belt Gates Carbon Drive, 1298mm Length, 11mm Pitch, 12mm Width
CASSETTE / FREEWHEEL	CDXR28MN5, CDX Rear Sprocket, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltline
BRAKE	Shimano BR-MT410, RESIN PAD
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock
FRONT HUB	himano HB-MT400-B for Center Lock, 32holes 15X110mm TA
REAR HUB	Shimano INTERNAL HUB GEAR, INTER 5E, SG-C7000-5D, NEXUS, 5sp, CENTER LOCK, 32 holes 135X187mm
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622 x 25C 32hole, height 18mm, double wall
TIRE	Schwalbe SUPERMOTO perf DD.raceguard 62-622, 29x2.4
STEM	Velomann TDS-666-8 35/31.8mm, lenght: 95mm for Kiox mount
HANDLEBAR	Velomann WIEN diam.31.8, width: 680mm, rise: 20mm, backsweep 15°
GRIP / TAPE	Herrmans GRIPset LUNA lock w/locking black
SEATPOST	Velomann SP-368-OV, diam. 31.6mm, lenght: 350mm, suspension seatpost
SADDLE	Velomann A037HR0, black steel rail, no clamp, 285x187mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Bianchi Custom modello Velomann R78 KING EVO REAR max 35kg da confermare, esito dopo PROVA DI MONTAGGIO
MUDGUARD / STAY	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up 1.3.6 Mudgard Post Up Low 1.3.7
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm BCH282 7) Cable Charging socket PowerTube 340mm BCH287 8) Standard charger 4A (220V-240V) 9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA T TYPE - STEP THRU NEXUS 5SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE7
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA Trekking StepThru belt drive ALU, sizes: MD, LG, XL (43,48,53), IG 135mm, Ready to fix the chainguard, Post mount 180mm disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/7/FX, Set dropout (sx+dx) IG 135mm Internal gear
SEATPOST CLAMP	SCL SET diam.31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5" Custom Anod Black
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, PM 160mm disc mount, Maxle Stealth, 42mm offset, w/SKS set stay mounting clamps
SHIFTER	Shimano SL-C7000-5, NEXUS, REVO SHIFTER, 5sp, 2500mm BLACK OUTER, FOR CJ-C7000-5
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black axle, CDX 39T
CHAIN	CDX Belt Gates Carbon Drive, 118T, black 1298 mm Length, 11 mm Pitch, 12 mm Width, 11M-118T-12CT
CASSETTE / FREEWHEEL	Gates CDXR28MN5, CDX Rear Sprocket, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltline
BRAKE	Shimano BR-MT410, RESIN PAD
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32 holes, 15X110mm TA
REAR HUB	Shimano SG-C7000-5D, NEXUS, 5-SPEED, FOR CENTER LOCK DISC BRAKE, 32 holes, 135X187mm
RIM/WHEELSET	EBIKE KARGO 28" - 622 x 25C 32hole, 18mmprofile, double wall
TIRE	Schwalbe SUPERMOTO perf DD.raceguard 62-622, 29x2.4
STEM	Velomann TDS-666-8, adjustable 35/31.8mm, lenght: 95mm, w/Kiox mount
HANDLEBAR	Velomann WIEN 31.8/680mm, RISE 20mm, SWEEP 15°
GRIP / TAPE	Herrmans LUNA look DD40AR/BL 90/130mm black-black, diam.22mm
SEATPOST	Velomann SP-368-OV, diam. 31.6mm, lenght: 350mm, w/suspension
SADDLE	Velomann A037DRO Lady, steel rail
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MUDGUARD / STAY	Mudgard Ant Mid 1.3.3 Mudgard Ant Low 1.3.4 Mudgard Ant Up 1.3.5 Mudgard Post Up 1.3.6 Mudgard Post Up Low 1.3.7
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Standard charger 4A (220V-240V) 9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA T TYPE - DEORE 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE2
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA Trekking ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Darfon OmniaX/T/FX, Set dropout TA 148mm external derailleur
SEATPOST CLAMP	SCL SET diam. 31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, 34 STKM, 1.5" to 1.1/8" tapered, STKM, OLD diam.15-110, 15AH2-110, max rotor 203, post mount 160mm direct, SKS set stay mounting clamps
SHIFTER	Shimano Deore SHIFT LEVER, SL-M4100-R, DEORE, 10sp
REAR DERAILEUR	Shimano RD-M5120, DEORE, SGS 10sp, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	FSA Die cast alloy, crank lenght 170mm ISIS black, MegaTooth 38T
CHAIN	Kmc Chain e10S EPT Anti-Rust 1/2" x 11/128" EPT
CASSETTE / FREEWHEEL	Shimano CS-M4100-10, DEORE, 10sp, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano BRMT200, w/180mm adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, Center Lock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32h 15X110mm TA
REAR HUB	Shimano FH-MT400-B, CENTER LOCK DISC, 32 Holes, OLD:148mm, W/O ROTOR MOUNT COVER
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622 x 25C 32hole, 18mm profile, double wall
TIRE	WTB Slick 2.2 29" 54/54 27tpi
STEM	Velomann TDS-681, Hi Rise
HANDLEBAR	Velomann Rise JD-MTB479A, width 740mm, diam. 31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP / TAPE	Herrmans LUNA look w/lockring black
SEATPOST	Velomann SP-7019, lenght 350mm- SM and 400mm-MD, LG, diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Selle Royal Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann R78 KING EVO REAR max 35kg
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Compact charger 2A (100V-240V) 9) Charger Power Cable Europe 10) Display unit Purion Anthracite 1500 mm 11) light cable front 200mm 12) light cable rear 200mm

E-OMNIA T TYPE - DEORE 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE3
COLOR	BK - Black Glossy WW - White Glossy
FRAME	E-OMNIA Trekking StepThru ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Darfon OmniaX/T/FX, Set dropout (sx+dx) TA 148mm external derailleur + Apro Set Hanger UHD compatible
SEATPOST CLAMP	SCL SET, diam.31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, CR platin, 1.5" to 1.1/8" tapered(CTS), STKM, OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct, w/SKS set stay mounting clamps
SHIFTER	Shimano Deore SHIFT LEVER, SL-M4100-R, RIGHT, 10sp RAPIDFIRE PLUS 2050MM INNER
REAR DERAILLEUR	Shimano RD-M5120, DEORE, SGS 10sp, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black 240NTD FSA ML054 ISIS Bolt CrMo/M15 (pair) 30NTD FSA screw set FSA W0147 1x Steel Spider BCD104/Steel/ED/ CL 53mm 70NTD FSA WB460-38T FSA MegaTooth 38T/BCD104/ Steel/ED black/ w/Logo 110NTD FSA W1145(BCD104 36-38T} Alloy/SB black/36-38T/w/FSA Logo/w/MW058Kx4 100NTD
CHAIN	Kmc e10S EPT Anti-Rust (Sport) 1/2" x 11/128" EPT
CASSETTE / FREEWHEEL	Shimano CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano BRMT200KIT w/180mm adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32 holes, 15X110mm TA
REAR HUB	Shimano FH-MT400-B, CENTER LOCK DISC(W/O LOCK RING) 8-11-SPEED FOR 12MM THRU TYPE AXLE(W/O AXLE), 32 holes, OLD: 148mm
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622 x 25C 32hole, 18mm profile, double wall
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing, Wire Bead
STEM	Velomann TDS-681, Hi Rise Stem W/O SP connect 31.8" (90mm H43/48 - 110mm H53)
HANDLEBAR	Velomann Rise JD-MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise, DB Alloy 6061-T6
GRIP / TAPE	Herrmans LUNA look DD40BR/BL 130mm/130mm black-black, diam.22mm
SEATPOST	Velomann SP-7019, lenght 350mm for SM size and 400mm for MD, LG, diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Selle Royal Velomann 8016DRO lady, black cover 8067 size 260x160mm, 365gr
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MUDGUARD / STAY	PET Mudguards A65 R /28" 66919 0183 Front PET A65R x670mm R380 w/angle 29mm, black, 1poly bag 700mm Rear PET A65R x1130mm R380, 1poly bag 1250mm SET accessory U-stays 335mm, with: ESC base plate, ESC stay clip, Screw, nuts, USC SKS version, Damping rubber for USC
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) Logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Compact charger 2A (100V-240V) 9) Charger Power Cable Europe 10) Display unit Purion Anthracite 1500 mm 11) light cable front 200mm 12) light cable rear 200mm

E-OMNIA C TYPE - DEORE 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE8
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA City StepThru chain drive ALU, 2 size: SM, MD, LG (45-50-55), Ready to fix the chainguard, Post mount 180mm disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame, Set dropout (sx+dx) QR 135mm external derailleur
SEATPOST CLAMP	SCL SET diam. 31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Suntour XCM34-Boost LOR DS 15AH2-110 29" travel 100mm, COIL w/Preload adjuster AC4C, 34 STKM, 1.5" to 1.1/8" tapered, 15AH2-110, alloy, max rotor 203, post mount 160mm direct, SKS set 11564 stay mounting clamps
SHIFTER	Shimano Deore SHIFT LEVER, SL-M4100-R, DEORE, 10sp
REAR DERAILEUR	Shimano RD-M5120, DEORE, SGS 10sp, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	Fsa Metropolis, AL-8/IS FSA Alloy E-bike ISIS Crank, crank lenght: 170mm, w/Fsa 38T Steel MegaTooth Chainring
CHAIN	Kmc e10S EPT Anti-Rust [Sport] 1/2" x 11/128" EPT
CASSETTE / FREEWHEEL	Shimano CS-M4100-10, DEORE, 10sp, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano MT200KIT assembled set BRMT200, w/180P adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, Center Lock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32 holes, 15X110mm TA
REAR HUB	Formula CL-1422 Center lock, 32 holes, 14G, O.L.D. 135mmm w/QR
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622 x 25C, 32hole, 18mm profile , double wall
TIRE	Schwalbe MARATHON E-PLUS 55-622 28X2.15 Smart dual guard E50 black reflex (load 136Kg)
STEM	Velomann TDS-666-8 35/31.8mm, lenght: 95mm for Kiox mount
HANDLEBAR	Velomann Noirette Plus WS AL6061, diam. 31.8mm, width 630mm, Rise 34mm, Backsweep 41°
GRIP / TAPE	Herrmans LUNA look, w/locking black
SEATPOST	Velomann SP-7019, lenght 350mm-SM and 400mm-MD/LG, diam.31.6mm, 0mm seatback, Al2014 shaft
SADDLE	Velomann A038UE0 Unisex, Rail Elastomer, black steel rail, no clamp, 256x220
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann R78 KING EVO REAR max 35kg da confermare, esito dopo PROVA DI MONTAGGIO
MUDGUARD / STAY	Sks PET Mudguards A65 R /28" with: ESC base plate, ESC stay clip, Screw, nuts, USC SKS version, Damping rubber for USC
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Standard charger 4A (220V-240V)9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA C TYPE - NEXUS 5SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE9
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA City StepThru chain drive ALU, size: SM, MD, LG (45-50-55), Ready to fix the chainguard, Post mount 180mm disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame, BatteryWall Bosch OmniaC, Set dropout IG 135mm Internal gear
SEATPOST CLAMP	SCL SET diam. 31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Suntour XCM34-Boost LOR DS 15AH2-110 29" travel 100mm, COIL w/Preload adjuster AC4C, 34 STKM, 1.5" 1.1/8" tapered, STKM, OLD diam.15-110, 15AH2-110, max rotor 203, post mount 160mm, w/SKS set stay mounting clamps
SHIFTER	Shimano SL-C7000-5, NEXUS, REVO SHIFTER, 5sp
CRANKSET	Fsa Metropolis, AL-8/IS FSA Alloy E-bike ISIS Crank, crank lenght: 170mm, , CDX Spider Assembly, 39T
CHAIN	CDX Belt Gates Carbon Drive, 118T, 1298mm Length, 11 mm Pitch, 12 mm Width
CASSETTE / FREEWHEEL	Gates Carbon, CDX Rear Sprocket, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltlíne
BRAKE	Shimano BRMT200, w/180 adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, Center Lock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32holes 15X110mm TA
REAR HUB	Shimano SG-C7000-5D, 5sp, CENTER LOCK, 32 holes, 135X187mm
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622x25c, 32holes, 18mm profile, double wall
TIRE	Schwalbe MARATHON E-PLUS 55-622 28X2.15 Smart dual guard E50 black reflex (max load 136Kg)
STEM	Velomann TDS-666-8 35/31.8mm, lenght: 95mm for Kiox mount
HANDLEBAR	Velomann Noirette Plus WS AL6061, diam. 31.8mm, width 630mm, Rise 34mm, Back Sweep 41°
GRIP / TAPE	Herrmans LUNA look, w/locking black
SEATPOST	Velomann SP-7019, lenght 350mm-SM and 400mm-MD/LG, diam. 31.6mm, 0mm seatback, Al2014 shaft
SADDLE	Selle Royal Velomann A038UE0 Unisex, Rail Elastomer, black steel rail, no clamp, 256x220
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann R78 KING EVO REAR max 35kg
MUDGUARD / STAY	SKS PET Mudguards A65 R /28" with frame lock
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 625 horizontal BBP290 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Standard charger 4A (220V-240V) 9) Charger Power Cable Europe 10) Display unit Kiox black 11) Socket with mounting plate, compact remote for Kiox preassembled 1300mm 12) light cable front 200mm 13) light cable rear 200mm

E-OMNIA C TYPE - DEORE 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBE1
COLOR	BK - Black Glossy WW -White Glossy
FRAME	E-OMNIA City LADY StepThru chain drive ALU, size: SM, MD, LG (45-50-55), QR 135mm, Ready to fix the chainguard, Post mount 160mm disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Darfon OmniaC, Set dropout (sx+dx) QR 135mm external derailleur
SEATPOST CLAMP	SCL SET, diam.31,8mm Omnia
HEADSET	Fsa NO.55R/558 1.5"
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 100mm, COIL w/Preload adjuster, CR platin, 1.5" to 1.1/8" tapered(CTS), OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct, w/SKS set stay mounting clamps
SHIFTER	Shimano Deore SHIFT LEVER, SL-M4100-R, DEORE, 10sp RAPIDFIRE PLUS 2050mm
REAR DERAILEUR	Shimano RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	Fsa Metropolis, AL-8/IS FSA Alloy E-bike ISIS Crank lenght 170mm, w/FSA 38T Steel MegaTooth Chainring
CHAIN	Kmc e10S EPT Anti-Rust (Sport) 1/2" x 11/128" EPT
CASSETTE / FREEWHEEL	Shimano CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano BRMT200KIT w/180mm adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, CenterLock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32 holes, 15X110mm TA
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, w/QR
RIM/WHEELSET	EBIKE KARGO 28" - ETRTO 622 x 25C 32hole, 18mmprofile, double wall
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing, Wire Bead
STEM	Velomann TDS-681, Hi Rise Stem W/O SP connect 31.8" (90mm H43/48 - 110mm H53)
HANDLEBAR	Velomann Noirette Plus WS AL6061, 31.8*630 / Rise 34mm / Back Sweep 41°
GRIP / TAPE	VLG-1541 VEXX black,125mm(open end)+VLP-45 black plug
SEATPOST	Velomann SP-7019, lenght 350mm for SM size and 400mm for MD, LG, diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head
SADDLE	Selle Royal Velomann 8214DC, steel rail, black cover 8067, 254x183mm
FRONT LIGHT	Spanninga BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4 Custom front light based on Axendo 40 model
REAR LIGHT	Spanninga BLS REAR S-SIDE incl HIGO MICRO A cable 755mm Female connector BLS REAR C-SIDE incl HIGO MICRO A cable 655mm Female connector 1 cable 50mm MALE connector, 4 cables 50mm FEMALE connector BLS Switch cable 1105mm with FEMALE connector Custom rear light 2pcs
MUDGUARD / STAY	PET Mudguards A65 R /28" 66919 0183 Front PET A65R x670mm R380 w/angle 29mm, black, 1poly bag 700mm Rear PET A65R x1130mm R380, 1poly bag 1250mm SET accessory U-stays 335mm, with: ESC base plate, ESC stay clip, Screw, nuts, USC SKS version, Damping rubber for USC
MOTOR UNIT	1) New Performance line CX Cruise 2) Components Drive unit mounting: - lock ring for BDU4XX - O-ring - screw M8x16 3) Drive Unit speed sensor: - New Speed sensor slim 800 - disc magnet center lock for slim version - sensor clip holder for slim version - screw for sensor clip holder 4) logo Bezel Performance line CX 5) PowerTube 500 horizontal BBP280 6) Cable PowerTube 410mm 7) Cable Charging socket PowerTube 340mm 8) Compact charger 2A (100V-240V) 9) Charger Power Cable Europe 10) Display unit Purion Anthracite 1500 mm 11) light cable front 200mm 12) light cable rear 200mm

T-TRONIK SPORT 9.2 TOURER - DEORE 1X10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB11
COLOR	6G: Dark Graphite Glossy
FRAME	T-Tronik Sport HT, alu 6061 triple butted, 1.5" tapered HT,compatible, seatpost diam.31,6mm, seat clamp diam.34,9mm, PM 160mm dropout BoostQR 12x141mm, internal cable routing inside DT, sizes 38,43,48,53
SEATPOST CLAMP	Promax 339QX diam.34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1-1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Suntour XCR34 AIR Boost LOR DS 29" 120mm, with LOR, 1.5" tapered HT, alloy crown, Air spring w/pre-load adjust, 34mm stanchions, PM 180mm disc mount, thru axle 15X110mm
SHIFTER	Shimano Deore SL-M4100-R, 10sp
REAR DERAILEUR	Shimano Deore RD-M5120, DEORE, SGS 10sp, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	FSA CK-751 Forged Alu crank lenght: 165 mm, w/ Steel MegaTooth Chainring - 34T
BOTTOM BRACKET	included in the motor
CHAIN	Kmc e10S EPT Anti-Rust (Sport) 1/2" x 11/128" EPT
CASSETTE / FREEWHEEL	Shimano Deore CS-M4100-10, 10sp, 11-46T
BRAKE	Shimano MT401 w/rear J-Kit only, resin pad, w/180mm adapter for rear
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, Center Lock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32holes, thru axle 15X110mm
REAR HUB	Shimano FH-MT200-B for Center Lock, 32holes 141mm OLD BOOST
RIM/WHEELSET	WTB XC25 TCS rim Tubeless Ready 29", Sleeved, 32 hole black, Black Anodized, PV drilled, 4 stickers total, 6061-T6, 622x25, 444gr
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing, Wire Bead
STEM	Velomann ST154A +/-7", 1.1/8", diam.31.8mm, ext: 60mm-15/17/18" and 70mm-21", 3D forged alloy 6061
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise, DB Alloy 6061-T6
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght 350mm-15/17" and 400mm-19/21", diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch
FRONT LIGHT	Spanninga Axenda 40, E-bike 6-36VDC (Xe) 40 Lux, 1 white Led
REAR LIGHT	Spanninga PIMENTO XE 6-36 VDC
REAR CARRIER / PLATE	Atranvelo CARRIER COMMUTE 28" w/AVS system
KICKSTAND	Ursus R78 KING REAR, 28"
MUDGUARD / STAY	Alloy Mudguards EVO M75/29
BATTERY	BN21S Battery pack 522 Wh vertical Mounting parts and accessories Battery charger 4A, Euro plug
MOTOR UNIT	Cycle computer SC-E7000 for 31.8 mm hbar Switch SW-E7000 for left side - 400 mm wire included Drive Unit DU-E7000 Speed Sensor SM-DUE10 Electric wire EW-SD50 - 1200 mm length Satellite System On/Off switch, EW-SW100, E-Tube cable 1100 mm

T-TRONIK SPORT 9.2 TOURER - ALTUS 1X9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBV9
COLOR	6G: Dark Graphite Glossy
FRAME	T-Tronik Sport HT, alu 6061 triple butted, 1.5" tapered HT,compatible, seatpost diam.31,6mm, seat clamp diam34.9, PM 160mm dropout BoostQR 12x141mm, internal cable routing inside DT, sizes 38,43,48,53
SEATPOST CLAMP	Promax 339QX diam. 34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB 1.1/8" Upper, 1.5" Lower, w/8mm top cover
FORK	Suntour XCM32 Boost NLO DS 29" 120mm, with NLO lockout, 1.5" tapered HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, alloy lowers w/PM 160mm disc mount, thru axle 15X110mm, SKS set stay mounting clamps
SHIFTER	Shimano SL-M2010-9R 1x9sp
REAR DERAILLEUR	Shimano ALTUS 9sp, RD-M2000 top-normal, direct attachment, for 11-36T max
CRANKSET	FSA CK-751 Forged Alu crank lenght 165 mm, Steel MegaTooth Chainring - 34T
BOTTOM BRACKET	included in the motor
CHAIN	Kmc E9s, 9sp, 1/2"X11/128"
CASSETTE / FREEWHEEL	Shimano, CS-HG200-9, 9speed, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano BRMT200KIT w/ 180mm adapters for front & rear, resin pad
BRAKE LEVER	Included in the brake set
DISC ROTOR	Shimano SM-RT10 CL 180mm front & rear, Center Lock
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32h 15X110mm TA
REAR HUB	Shimano FH-MT200-B for Center Lock, 32holes, 141mm OLD BOOST
RIM/WHEELSET	WTB XC25 TCS rim Tubeless Ready 29", Sleeved, 32 hole black, Black Anodized, PV drilled, 4 stickers total, 6061-T6, 622x25, 444gr
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing, Wire Bead
STEM	Velomann ST154A +/-7°, 1,1/8", diam.31.8mm, ext: 60mm-15/17/18", 70mm-21", 3D forged alloy 6061
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31.8mm, 9° backsweep, 15mm rise, DB Alloy 6061-T6
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP-7019, lenght: 350mm-15/17" and 400mm-19/21", diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Selle Royal Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch
FRONT LIGHT	Spanninga Axendo 40, E-bike 6-36VDC (Xe) 40 Lux, 1 white Led
REAR LIGHT	Spanninga PIMENTO XE 6-36 VDC
REAR CARRIER / PLATE	Antravelo COMMUTE 28" w/AVS system
KICKSTAND	Ursus R78 KING REAR, 28"
MUDGUARD / STAY	Alloy Mudguards EVO M75/29
BATTERY	BN21S Battery pack 522 Wh vertical Mounting parts and accessories Battery charger 4A, Euro plug
MOTOR UNIT	Cycle computer SC-E7000 for 31,8 mm hbar Switch SW-E7000 for left side - 400 mm wire included Drive Unit DU-E7000 Speed Sensor SM-DUE10 Electric wire EW-SD50 - 1200 mm length Satellite System On/Off switch, EW-SW100, E-Tube cable 1100 mm

IMPULSO E-ALL ROAD TOURER - DEORE 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBM7
COLOR	IG: Black/Titanium Full Matt
FRAME	E-Road/All road Impulso , mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm, Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	FULL CARBON FORK 1 1/8, THRUE AXLE 12x100mm, FLAT MOUNT disc brake
SHIFTER	Shimano Deore SL-M5100-R 1x11, clamp band
REAR DERAILLEUR	Shimano Deore RD-M5100 1x11s, 11-51T Max
MOTOR/BATTERY	E-Bike motion X35 PLUS motor, battery and iWOC One remote control, ANT+ compatible wire L2 (HEAD+REAR) - C (1000MM head + 2000mm rear no usb) with round connector
CRANKSET	Fsa CK-4003T/WT Omega MegaExo diam.19.1 CK-4003T/WT Die cast aluminum / w/o BB / 170mm / 1x11 / 40T, Crank Length: 170mm-XS/S/ML/XL
BOTTOM BRACKET	Fsa BB-AL86 BB86 Alloy Cup Stainless bearings for FSA Omega crankset on BB86 frame
CHAIN	Kmc X11-1 EPT, 11sp, EPT finish
CASSETTE / FREEWHEEL	Shimano CS-M5100-11, 11sp, 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano Disc brake assembled /J-kit, BL-MT200(L), BR-UR300(F), black, for 160mm rotors, resin pad w/o fin, 1000mm hose SM-BH59 black Disc brake assembled /J-kit, BL-MT200(R), BR-UR300(R), black, w/o adapter, for 20mm mnt, resin pad w/o fin, 1700mm hose SM-BH59 black
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT26 6-bolt type 160mm Rotor for disc brake SM-RT26, S 160mm, 6-Bolt type, for resin pad only (2pcs)
FRONT HUB	Formula RX-812 road disc , alloy 32h, 6 bolts, 2SB bearing, J-bend, thru axle 12x100mm, w/o QR w/o logo.
RIM/WHEELSET	Velomann GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet
TIRE	Kenda FLINTRIDGE 700x35, 60TPI, K1152
STEM	Velomann STI82A, Alloy 6061, raise +/- 7", height 38mm, Oversize, 1.1/8", ext: 80mm-XS/S/M/L/XL
HANDLEBAR	Velomann rise MTB479A, width 680mm, diam. 31.8mm, rise 15mm, backsweep 9°, PG Alloy 6061
GRIP / TAPE	GRIP Rib Lock DD35B 130mm white-black,d.22mm, incl. Black lockring
SEATPOST	Velomann SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 300mm-XS/SM, L350mm-MD/ LG /XL
SADDLE	Selle Royal Velomann 2315HRN, rail steel black, open, cover PU, lenght/wide 250x148mm color: black

E-SPILLO CLASSIC



SU: CK16/Black Full Glossy



NEW LOGO



NEAT GRAPHIC DESIGN

E-SPILLO CLASSIC



ST: Gun Metal/Black Full Matt



NEW LOGO



NEAT GRAPHIC DESIGN

E-SPILLO CLASSIC - ALTUS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBT2
COLOR	ST: Gun Metal/Black Full Mtt SU: CK16/Black Full Glossy
FRAME	Frame 28" Alu PG 6061 32/37 V-brake, O.L.D.139mm, size: 47, 53cm, to be compatible with rear motor hub
SEATPOST CLAMP	MX-112 Alloy Seatclamp, diam.31,8mm
HEADSET	VP-MH305C SEMI INTEGR
FORK	v-brake
SHIFTER	Shimano Altus, 8sp
REAR DERAILLEUR	Shimano Altus, 8sp
CRANKSET	Prowheel Ounce-248AC 8sp 48T
BOTTOM BRACKET	Speed sensor, axle length:124mm, w/speed sensor
CHAIN	Kmc 8Sp Z8.1
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32
BRAKE	V-Brake TX-121L silver 108mm
BRAKE LEVER	V-Brake levers, 4 Fingers
FRONT HUB	Formula FM-21, 36hole, 14G, O.L.D. 100mm, w/QR
REAR HUB	included in the ebike system
RIM/WHEELSET	Model ER-10 - 622-19 - 36H - Silver Anodized, Single Eyelets, Valve hole 6,5 mm, Machined sidewalls
TIRE	C4901317 Tire sport Unda 37-622 27TPI
STEM	STQ ALsv 25,4/85 180mm 4BOLT MTSD-367N-5 SV
HANDLEBAR	HL-NR-AL-16 High polished an. Silver alloy Width 590mm, Rise 26mm, diam 25.4mm, 33° backsweep
GRIP / TAPE	GRIP Rib Lock DD35B 130mm
SEATPOST	Alloy diam.27.2, lenght: 350mm
SADDLE	Selle Royal Wave
FRONT LIGHT	RETRO SPORT, 20lux. 0.5w LED IP144
REAR LIGHT	included in the SR11 battery
REAR CARRIER / PLATE	Atranvelo Carrier Sport 28"
KICKSTAND	Atranvelo KS REX 235
MUDGUARD / STAY	Steel
MOTOR UNIT	1) C8705064-03SV4 Rear hub motor 36V,250W,OLD=135MM , 28",25KM/H,with hall sensor & RPM sensor, 9pin cable, length:200mm, suitable for Disc-brake,silver color, with cassette body, for 8 speed sprocket. RM G020.250.DC 2) C8705065-1-10SC LED Display CAN, to be assembled on the left side, e-going logo, cable length:850m/connector Can Bus. DP E101.CAN 3) C8705065-1-04AC 10pin (1000mm), one end linked to controller,the other end linked to the display (340mm), the front light (340mm), one brake sensor (380mm) and the speed sensor (550mm). EB 2T3.AX.1000. 4) C8705065-1-03 G9.1/M9.1, cable length 1200mm, between motor and controller EB 1T1.05 5) C8705142-1028C Can Bus Controller assembled into slider/Top cover not assembled into slider/slider compatible axa Lock/with bracket, 2 screws M5*10, 1 screw ST2.9*8 and 4 screws ST2.9*12/ SOFT controller 28" dedicated for FM G311.250.D 28"/sticker 28" on slider Ebbus cable 230mm/Motor cable 170mm/ front&rear lights.CR S10R.250.FC 6) C8705142-1-11C SR-11, 11,6Ah, dimension med dockning 435mmX140mmX50mm 7) C8705086-02C CZ2AU2KE7 for DT12/SR11 8) C8705065-1-17 rubber plugg for BB

E-SPILLO CLASSIC - ALTUS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBT3
COLOR	ST: Gun Metal/Black Full Mtt SU: CK16/Black Full Glossy
FRAME	Frame 28" StepThru PG 6061 32/37 V-brake, O.L.D.139mm, sizes: 47cm, 53cm to be compatible with rear motor hub
SEATPOST CLAMP	MX-112 Alloy Seatclamp, diam. 31,8mm
HEADSET	VP-MH305C SEMI INTEGR
FORK	v-brake
SHIFTER	Shimano Altus, Right 8sp
REAR DERAILLEUR	Shimano Altus black 8sp, direct attachment
CRANKSET	Prowheel Ounce-248AC 8sp
CHAIN	Axle lenght: 124mm CANBUS for Rear Engine
CASSETTE / FREEWHEEL	Kmc 8Sp 1/2"x 3/32" Z8.1 RB Anti Rust
BRAKE	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE LEVER	V-Brake TX-121L silver 108mm
DISC ROTOR	V-Brake levers, 4 Fingers
FRONT HUB	Formula FM-21, 36hole, 14G, O.L.D. 100mm, w/QR
REAR HUB	included in the ebike system
RIM/WHEELSET	ER-10 - 622-19 - 36H - , Valve hole 6,5 mm
TIRE	Unda 37-622 27TPI
STEM	STQ ALsv 25,4/85 180mm 4BOLT MTSD-367N-5 SV
HANDLEBAR	Alloy, width :590mm, rise: 26mm, diam: 25.4mm, 33° backsweep
GRIP / TAPE	Herrmans 130mm
SEATPOST	Alloy, diam. 27,2mm, lenght: 350mm
SADDLE	Selle Royal Wave
FRONT LIGHT	Retro Sport fo ebike, 20 lux, 0,5w LED IP144
REAR LIGHT	included in the SR11 battery
MUDGUARD / STAY	Steel
MOTOR UNIT	1) C8705064-03SV4 Rear hub motor 36V,250W,OLD=135MM , 28° 25KM/H,with hall sensor & RPM sensor, 9pin cable, length:200mm, suitable for Disc-brake,silver color, with cassette body, for 8 speed sprocket. RM G020.250.DC 2) C8705065-1-10SC LED Display CAN, to be assembled on the left side, e-going logo, cable length:850m/connector Can Bus. DP E101.CAN 3) C8705065-1-04AC 10pin (1000mm), one end linked to controller,the other end linked to the display (340mm), the front light (340mm), one brake sensor (380mm) and the speed sensor (550mm). EB 2T3.AX.1000 4) C8705065-1-03 G9.1/M9.1, cable length 1200mm, between motor and controller EB 1T1.05 5) C8705142-1028C Can Bus Controller assembled into slider/Top cover not assembled into slider/slider compatible axa Lock/with bracket, 2 screws M5*10, 1 screw ST2.9*8 and 4 screws ST2.9*12/ SOFT controller 28" dedicated for FM G311.250.D 28"/sticker 28" on slider Ebbus cable 230mm/Motor cable 170mm/ front&rear lights.CR S10R.250.FC 6) C8705142-1-11C SR-11, 11,6Ah, dimension med dockning 435mmX140mmX50mm 7) C8705086-02C C72AU2KE7 for DT12/SR11 8) C8705065-1-17 rubber plugg for BB

E-SPILLO CITY



SO: CK16/Black Full Glossy



NEW LOGO



NEAT GRAPHIC

E-SPILLO CITY - STEP THRU ALTUS 8SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBT1
COLOR	SO: Grey Glossy
FRAME	Frame 28" StepThru Alu PG V-brake O.L.D.139mm stepthru, size 45cm, to be compatible with rear motor hub
SEATPOST CLAMP	MX27 shiny black
HEADSET	VP-MH305C Semi-Integrated
FORK	rigid for e-bike, v-brake
SHIFTER	Shimano Altus, Right 8sp
REAR DERAILLEUR	Shimano Altus black 8sp
CRANKSET	Prowheel PRA-11C, crank lenght: 170mm 38T
BOTTOM BRACKET	axle length:124mm, w/speed sensor
CHAIN	Kmc CHAIN Z8.1, 8sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE	V-Brake, 108mm
BRAKE LEVER	V-Brake levers 4Fingers
FRONT HUB	Formula FM-21, 36hole, 14G, O.L.D. 100mm w/QR
REAR HUB	included in the ebike system
RIM/WHEELSET	Model ER-10 - 622-19 - 36H - Black painted, Single Eyelets, Valve hole 6,5 mm, Machined sidewalls
TIRE	Duramax Regular H-480, Tire sport Pergo 40-622 27TPI regular black w/o refl
STEM	STQ ALsbbk 25,4/85 180mm 4BOLT MTSD-367N-5 black
HANDLEBAR	HB CITY steel diam.25.4mm,610mm/44°/rise 66mm
GRIP / TAPE	HERRMANS 84B ERGO TPE 120MM
SEATPOST	SPR, diam. 27,2, lenght 300mm
SADDLE	Selle Royal Aurorae UNISEX 80B4UE0
FRONT LIGHT	Breeze Eva Classic, black case, 0,5W LED, 15 lux, Waterproof IP44 including batteries
REAR LIGHT	integrated in the battery
REAR CARRIER / PLATE	AVS CLASSIC CARRIER FOR PHILION BATTERY
KICKSTAND	KS REX ATRAN 235
MUDGUARD / STAY	Steel
MOTOR UNIT	1) C8705064-03BK4 36V,250W,OLD=135MM , 28",25KM/H,with hall sensor & RPM sensor, 9pin cable, length:200mm, suitable for Disc-brake,black color, with cassette body, for 8 speed sprocket. RM G020.250.DC 2) C8705065-1-21C LED, to be assembled on the left side,Bafang logo, cable length: 850mm EN15194-2017 standard, CAN-BUS protocol. DP E08.CAN 3) C8705065-1-04AC 10pin (1000mm), one end linked to controller,the other end linked to the display (340mm), the front light (340mm), one brake sensor (380mm) and the speed sensor (550mm). EB 2T3.AX.1000 4) C8705065-1-03 G9.1/M9.1, cable length 1200mm, between motor and controller. EB 1T1.05 5) C8705065-10-1AC Controller with SF03 case 36V,15A,to be assembled into the SF03 case. Two cables come out from the controller box:9pin (170mm) for motor, 9pin (230mm) for EB-BUS, CAN-BUS protocol. CR S104.250.FC 6) C8705058-1-08C PHYLION SF-03, 8,8Ah With Integrated Rear RED LIGHT (eGoing Access), BATTERY black LiMn 36V 8,8Ah PHYL+Rear Light E-going Access EN15194:2017 7) C8705065-10-02 Slider +fasteners (lower part) SF03, AXA One key, for Bafang/Wheeler front engine system with SF03 battery 8) C8705058-1-1C, CHARGER FOR PHYLION Battery CHARGER 36V 2A SF-03/SF-06, AC plug European type DC plug round shape 5 pin 9) C8705065-1-17 rubber plugg for BB, diam. 12mm VLD-244

MTB

METHANOL CV FS



MX: CK16/Black Full Glossy



NEAT GRAPHIC DESIGN

METHANOL CV FS 9.1 - XX1 EAGLE AXS 1x12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBS7
COLOR	MX:CK16/Black Full Glossy
FRAME	Methanol CV FS 100mm 29" full carbon, HM monocoque w/ Bianchi CV, 1.5" tapered HT, BB92, only 1x drivetrain, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam. 31,6mm, shock lenght/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti white logo (2pcs)
REAR SHOCK	Fox Float DPS Factory Kashima Remote, 190/40mm, SV, Evol, 2 position Remote PTU, w/eyelets 19,99mm x 8mm
SEATPOST CLAMP	Alu, 35,4mm clamp
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap
FORK	Fox 34 SC 29" Factory Kashima remote, 100mm travel, FIT4 2 position remote w/open mode adj PTU, 1.5" ALU Tapered (black) HT, Kabolt 15X110 axle, 44mm rake, w/remote bottom left dual-cable for 1xdrivetrain (fork+shock)
SHIFTER	Sram XX1 EAGLE AXS 12sp discrete clamp
REAR DERAILLEUR	Sram XX1 EAGLE AXS 12s
CRANKSET	Sram XX1 EAGLE DUB 34T, arm lenght 170mm for 15" and 175mm for 17,19,21", carbon arms, 52mm chainline 148 BOOST compatible, direct mount, CNC-machined rings
BOTTOM BRACKET	Sram DUB PRESSFIT BB92, 41x92
CHAIN	Sram PC-XX1 EAGLE 12s w/PowerLock
CASSETTE / FREEWHEEL	Sram XG-1299 EAGLE RAINBOW 12s, 10,12,14,16,18,21,24,28,32,36,42,52T
BRAKE	Shimano XTR M9100 F & M9110 R assembled set w/J-Kit for rear only, w/180mm front adaptor and Flat Mount rear, resin pad
DISC ROTOR	Shimano RT-MT900 Center Lock type w/Ice Tech, diam.180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XRC 1501 Spline One 29" Carbon 30mm, 15x110TA, 12x148TA rear, XD body, 240s hub centerlock, TL-ready rim w/o eyelets including tubeless band and valve, 30mm inner width
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Fsa KFX, rise -12°, ext: 60mm-15", 70mm-17", 80mm-19 and 90mm-21", 1.1/8", diam.31,8mm, stack height 35mm, 3D forged/machined AL2014 w/Ti bolts Carbon faceplate, finish UD carbon
HANDLEBAR	Fsa KFX ICR flat, HB-MK-108-OS760/CCH/Di2, width 760mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon
GRIP / TAPE	T-One T-GP43X, Silicone grips, Length: 130mm
SEATPOST	Fsa KFX S80 Di2 compatible, lenght: 350mm-15", 400mm-17/21", diam.31,6mm, 0mm seatback, UD carbon monocoque w/2-bolts MTC head
SADDLE	Fizik Taiga, S-alloy rails

METHANOL CV FS 9.2 - XTR/XT 1X12



CODE	YRBP6
COLOR	MX:CK16/Black Full Glossy
FRAME	Methanol CV FS 100mm 29" full carbon HM monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock lenght/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)
REAR SHOCK	Sram Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam.8mm
SEATPOST CLAMP	Alu, 35.4mm clamp
HEADSET	Fsa Orbit C-40, N0.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offse
SHIFTER	Shimano XT 1x12 w/o Optical Gear Display, I-spec EV, SL- M8100R w/2050mm inner
REAR DERAILLEUR	Shimano XTR Shadow+ Design 12s, RD-M9100SGS, top normal, direct attachment, max 10-51T
CRANKSET	Shimano XTR FC-M9100-1 34T, crank lenght: 170mm-15", 175mm-17/21", 162mm Q- Factor, 52mm chainline
BOTTOM BRACKET	Shimano SM-BB94-41A for BB92
CHAIN	Shimano CN-M8100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M8100-12, 10-51T
BRAKE	Shimano XT M8100 F & M8110 R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad
DISC ROTOR	Shimano RT-MT800 Center Lock type w/Ice Tech, diam.180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148mm rear, Shimano 12sp body, 350 hub w/Ratchet System, Center Lock, TL-ready rim w/tubeless band and valve, 25mm inner width
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622 -
STEM	Reparto Corse 154A.7, +/-7°, ext: 60mm-15", 70mm-17", 80mm-19" and 90mm-21", 1.1/8", diam.31.8mm, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate, anodized w/laser graphics
HANDLEBAR	Reparto Corse MTB11AF.2 FLAT, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6
GRIP / TAPE	T-One T-GP43X, Silicone grips, length: 130mm
SEATPOST	Reparto Corse SP66T.C Carbon SB0, lenght: 350mm-15", 400mm-17/21", diam.31.6mm, 0mm seatback, carbon UD fiber shaft with forged head
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL CV FS 9.3 - XT/SLX 1x12



CODE	YRBS9
COLOR	MX:CK16/Black Full Glossy
FRAME	Methanol FS 100mm 29" full carbon, HM monocoque w/ Bianchi CV, 1.5" tapered HT, BB92, only 1x drivetrain, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock lenght/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)
REAR SHOCK	Rock Shox Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam. 8mm
SEATPOST CLAMP	Alu, 35.4mm clamp
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/ 4.3mm cap
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano SLX 1x12sp I-spec EV, w/o Optical Gear Display, w/2050mm inner
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS, top normal, direct attachment, max 10-51T
CRANKSET	Shimano FC-MT511-1, 32T, crank lenghts: 170mm-15", 175mm-17/21"
BOTTOM BRACKET	Shimano PressFit 41x92mm BB-MT500-PA
CHAIN	Shimano CN-M7100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano M6100 w/rear J-Kit only, resin pad, w/SM-MA-F180P/P2 adapter only for front, I-SPEC EV compatible + OLIVE SMHANG FOR SM-BH90 + SM-MA-R160P/D ADAPTER FALT MOUNT 160 TO PM 160
DISC ROTOR	Shimano RT-54, Center Lock type, 180mm front and 160mm rear
FRONT HUB	Formula CL-811 for Center Lock, 32h 15x110mm TA, sealed bearings
REAR HUB	Shimano FH-MT510-B, Centerlock, 32h 12x148mm, Shimano 12sp body
RIM/WHEELSET	Wtb KOM light i25 29" Rim, 32 holes, 622x25
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Reparto Corse 154A.7, +/-7°, ext: 60mm-15", 70mm-17", 80mm-19" and 90mm-21", 1.1/8", diam.31.8mm, 3D forged AL7050-T6
HANDLEBAR	Reparto Corse MTB11AF.2 flat, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6
GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SEATPOST	Reparto Corse SP66T.C Carbon SBO, lenght: 350mm-15" and 400mm-17/21", diam.31.6mm, 0mm seatback, carbon UD fiber shaft with forged head
SADDLE	Fizik Taiga, S-alloy rails

METHANOL CV RS



MY: CK16/Black Full Glossy



NEAT GRAPHIC DESIGN

METHANOL CV RS 9.1 - XX1 EAGLE AXS 1x12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB73
COLOR	MY:CK16/Black Full Glossy *Tavolozzo
FRAME	Methanol FS 100mm 29" full carbon, HM monocoque w/ Bianchi CV, 1.5" tapered HT, BB92, only 1x drivetrain, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock lenght/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)
REAR SHOCK	Rock Shox Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam. 8mm
SEATPOST CLAMP	Alu, 35.4mm clamp
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/ 4.3mm cap
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano SLX 1x12sp I-spec EV, w/o Optical Gear Display, w/2050mm inner
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS, top normal, direct attachment, max 10-51T
CRANKSET	Shimano FC-MT511-1, 32T, crank lenghts: 170mm-15", 175mm-17/21"
BOTTOM BRACKET	Shimano PressFit 41x92mm BB-MT500-PA
CHAIN	Shimano CN-M7100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano M6100 w/rear J-Kit only, resin pad, w/SM-MA-F180P/P2 adapter only for front, I-SPEC EV compatible + OLIVE SMHANG FOR SM-BH90 + SM-MA-R160P/D ADAPTER FALT MOUNT 160 TO PM 160
DISC ROTOR	Shimano RT-54, Center Lock type, 180mm front and 160mm rear
FRONT HUB	Formula CL-811 for Center Lock, 32h 15x110mm TA, sealed bearings
REAR HUB	Shimano FH-MT510-B, Centerlock, 32h 12x148mm, Shimano 12sp body
RIM/WHEELSET	Wtb KOM light i25 29" Rim, 32 holes, 622x25
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Reparto Corse 154A.7, +/-7°, ext: 60mm-15", 70mm-17", 80mm-19" and 90mm-21", 1.1/8", diam.31.8mm, 3D forged AL7050-T6
HANDLEBAR	Reparto Corse MTB11AF.2 flat, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6
GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SEATPOST	Reparto Corse SP66T.C Carbon SB0, lenght: 350mm-15" and 400mm-17/21", diam.31.6mm, 0mm seatback, carbon UD fiber shaft with forged head
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL CV RS 9.3 - XT 1x12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBRI
COLOR	MY:CK16/Black Full Glossy *Tavolozza
FRAME	Methanol CV RS 29" full carbon w/Bianchi CV, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti logo
SEATPOST CLAMP	diam.31,8mm
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano XT 1x12sp w/o Optical Gear Display, I-spec EV, SL - M8100R w/2050mm inner
REAR DERAILEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS, top normal, direct attachment, max 10-51T
CRANKSET	Shimano XT FC-M8100-1, 32T, crank lenght: 170mm-15", 175mm-17/21", 52mm CHAINLINE
BOTTOM BRACKET	Shimano Pressfit 41x92mm BB-MT800-PA
CASSETTE / FREEWHEEL	Shimano CS-M8100-12, 11sp, 10-51T
BRAKE	Shimano XT M8100 F/R assembled set w/J-Kit for rear only, w/180mm front adaptor, resin pad
DISC ROTOR	Shimano RT-70, Center Lock type, 180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XR 1700 Spline 29" 25mm, thru axle 15x110mm, 12x148, Shimano 12sp body, 350 hub w/Ratchet System, Center Lock, TL-ready rim w/o eyelets including tubeless band and valve, straight pull spokes, 25mm inner width
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Reparto Corse I54A.7, +/-7°, ext: 70mm-15", 80mm-17" and 90mm-19/21", 1.1/8", diam.31.8mm, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate, anodized w/laser graphics
HANDLEBAR	Reparto Corse MTB11AF.2 FLAT, width 740mm, diam.31.8mm, backsweep 9°, double butted AL2014-T6, anodized sand blast Black w/ glossy black graphics
GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, length 130mm
SEATPOST	Reparto Corse SP66T.C Carbon SB0, lenght 350mm-15"and 400mm-17/21", diam.27.2mm, 0mm seatback, carbon UD fiber shaft with forged head
SADDLE	Fi'zi:k Taiga, S-alloy rails

NITRON



NH: CK16/Black Full Glossy



NEW COLOR

NITRON



NF: White/Black Full Glossy



NEW COLOR

NITRON 9.2 - XT/SLX 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBP4
COLOR	NH: CK16/Black Full Glossy
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, HDM, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"+C112:D132
SEATPOST CLAMP	MX-112C diam.31,8mm, elegant, stylish, light & strong seat clamp w/angled cut for carbon frames
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap
FORK	Rock Shox SID SL 29", damper Rush RL, Debon Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano SLX 1x12sp I-spec EV, w/o Optical Gear Display, w/2050mm inner
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, top normal, direct attachment, max 10-51T
CRANKSET	Shimano XT FC-M8100-I, 32T, crank lenght 170mm-15", 175mm-17/21", 52mm CHAINLINE
BOTTOM BRACKET	Shimano Pressfit (41x92)
CHAIN	Shimano CN-M7100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano M6100 w/rear J-Kit only, resin pad, w/ adapter only for front, I-SPEC EV compatible
DISC ROTOR	Shimano SM-RT54 CL 180mm front & 160mm rear, CenterLock, for resin pad only
FRONT HUB	Formula CL-811 for Center Lock, thru axle 32h 15x110mm, sealed bearings
REAR HUB	Shimano FH-MT510-B, Centerlock, 32h, 12x148mm, Shimano 12speed body
RIM/WHEELSET	Velomann KOM light i25 29" Rim, 32 hole, 622x25
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Velomann ST154A +/-7°, 1.1/8", diam.31.8mm, ext: 70mm-15", 80mm-17" and 90mm-19/21", 3D forged alloy 6061
HANDLEBAR	Velomann Flat top MTB11AFS, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP66T.1, lenght 350mm-15" and 400mm-17/21", diam.27.2mm, 0mm seatback, AL6061 shaft with forged head
SADDLE	Velomann 1285URN, manganese rail, lenght 277mm x width 144mm

NITRON 9.3 - XT/SLX 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBP5
COLOR	NH: CK16/Black Full Glossy; NF: White/Black Full Glossy
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, HDM, PM 160mm carbon dropout 12x148mm B00ST Thru axle, internal cable routing, sizes 15-17-19-21"+C134:D154
SEATPOST CLAMP	Promax MX-112C diam.31,8mm
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5", w/4.3mm cap
FORK	Rock Shox Judy Gold RL 29" Solo Air 100mm w/Tall oneLoc remote left, 1.5 Tapered HT, 15x110mm B00ST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
SHIFTER	Shimano SLX 1x12sp I-spec EV, w/o Optical Gear Display, w/2050mm inner
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, top normal, direct attachment, max 10-51T
CRANKSET	Shimano FC-MT511-1, 32T, crank lenght: 170mm-15", 175mm-17/21"
BOTTOM BRACKET	Shimano Pressfit 41x92mm BB-MT500-PA
CHAIN	Shimano CN-M6100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
BRAKE	Shimano M4100 w/rear J-Kit only, resin pad, w/180mm front adapter
DISC ROTOR	Shimano SM-RT10 CL 180mm front & 160mm rear, Center Lock, for resin pad only
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32h 15X110mm TA
REAR HUB	Shimano FH-MT410-B for Cente rLock, 32h 12X148mm B00ST, 12speed Microspline body
RIM/WHEELSET	Velomann KOM light i25 29" Rim, 32 hole, 622x25
TIRE	Kenda Booster Pro 29x2.20, Tubeless Race compound 120Tpi, folding, ETRTO 56-622
STEM	Velomann ST154A +/-7°, 1,1/8 x diam.31.8mm, Ext: 70mm-15", 80mm-17" and 90mm-19/21", 3D forged alloy 6061
HANDLEBAR	Velomann Flat top MTB11AFS, width 720mm, diam.31.8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP66T.1, lenght 350mm for 15" and 400mm for 17,19,21", diam.27.2mm, 0mm seatback, AL6061 shaft with forged head
SADDLE	Velomann 1285URN, manganese rail, 277x144mm

NITRON 9.4 - XT/DEORE 1X12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB07
COLOR	NH: CK16/Black Full Glossy; NF: White/Black Full Glossy
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, HDM, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"
SEATPOST CLAMP	Promax MX-112C diam.31,8mm
HEADSET	Fsa Orbit C-40, N0.42/ACB-A, 1,1/8"-1.5" w/4.3mm cap
FORK	Rock Shox Judy Silver TK 29" Solo Air 100mm w/Poploc remote left, 1.5 Tapered HT, 15x110mm BOOST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
SHIFTER	Shimano Deore SL-M6100-R 1x12sp
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS top normal, direct attachment, max 10-51T
CRANKSET	Shimano FC-MT511-1, 32T, crank lenght: 170mm-15", 175mm-17/21"
BOTTOM BRACKET	Shimano Pressfit 41x92mm BB-MT500-PA
CHAIN	Shimano CN-M6100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M6100-12, 12sp, 10-51T
BRAKE	MT200 w/rear J-Kit only, resin pad, w/180mm front adapter
DISC ROTOR	Shimano SM-RT10 CL 180mm front & 160mm rear, CenterLock, for resin pad only
FRONT HUB	Shimano HB-MT400-B for Center Lock, 32h, 15X110mm TA
REAR HUB	Shimano FH-MT410-B for CenterLock, 32h 12X148mm BOOST, 12speed Microspline body
RIM/WHEELSET	Velomann KOM light i25 29" Rim, 32 hole, 622x25
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, 120Tpi, folding, ETRTO 56-622
STEM	Velomann ST154A +/-7°, 1,1/8 x diam.31.8mm, ext: 70mm-15", 80mm-17", 90mm-19/21", 3D forged alloy 6061
HANDLEBAR	Velomann Flat top MTB11AFS, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SEATPOST	Velomann SP66T.1, lenght 350mm-15" and 400mm for 17,19,21", diam.27.2mm, 0mm seatback, AL6061 shaft with forged head
SADDLE	Velomann 1285URN, manganese rail, lenght 277x144mm

MAGMA 9.S - DEORE 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB11
COLOR	6K: CK16/ Black-White Full Glossy 6B: Black/ CK16-White Full Glossy
FRAME	MAGMA 29" alu, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or Side-Swing, PM 160mm, BOOST 9x141mm QR, internal cable routing, sizes 15-17-19-21"
SEATPOST CLAMP	Promax 339QX diam.31,8mm, alloy clamp & lever
HEADSET	Fsa steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Rock Shox Judy Silver TK 29" Solo Air, 100mm w/poploc remote left, 1.1/8" Alu HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
SHIFTER	Shimano Deore SL-M6100-R 1x12sp
REAR DERAILLEUR	Shimano Deore RD-M6100 12sp
CRANKSET	FC-MT511-1, 32T, crank lenght: 170mm-15" and 175mm for 17/21"
BOTTOM BRACKET	Included in the cranckset
CHAIN	Shimano CN-M6100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M6100-12, 12sp, 10-51T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) resin pad
DISC ROTOR	Shimano SM-RT10 160mm front & rear, Center Lock, for resin pad only
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, w/QR
REAR HUB	Shimano FH-MT401-B for Center Lock, 32h 141mm OLD BOOST, 12speed Microspline
RIM/WHEELSET	VelomannDP2.5, 622x25c, 32h, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann ST154A +/-7°, 1,1/8", diam.31,8mm, lenght: 80mm-15/17", 90mm for 19/21", 3D forged alloy 6061
HANDLEBAR	Velomann Flat top MTB11AFS, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-One T-GP48B, one piece grip, TPR material, 130mm
SEATPOST	Velomann SP-7019, diam.27,2mm, 0mm seatback, lenght 350mm, AL2014 shaft, alloy head,
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch cover

MAGMA 9.0 - DEORE 1X12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBR9
COLOR	6K: CK16/ Black-White Full Glossy
FRAME	MAGMA 29" alu, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or Side-Swing, PM 160mm, BOOST 9x141mm QR, internal cable routing, sizes 15-17-19-21"
SEATPOST CLAMP	Promax 339QX diam.31,8mm, alloy clamp & lever
HEADSET	Fsa steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Rock Shox Judy Silver TK 29" Solo Air, 100mm w/poploc remote left, 1.1/8" Alu HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
SHIFTER	Shimano Deore SL-M6100-R 1x12sp
REAR DERAILLEUR	Shimano Deore RD-M6100 12sp
CRANKSET	FC-MT511-1, 32T, crank lenght: 170mm-15" and 175mm for 17/21"
BOTTOM BRACKET	Included in the cranckset
CHAIN	Shimano CN-M6100, 12sp
CASSETTE / FREEWHEEL	Shimano CS-M6100-12, 12sp, 10-51T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) resin pad
DISC ROTOR	Shimano SM-RT10 160mm front & rear, Center Lock, for resin pad only
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, w/QR
REAR HUB	Shimano FH-MT401-B for Center Lock, 32h 141mm OLD BOOST, 12speed Microspline
RIM/WHEELSET	VelomannDP2.5, 622x25c, 32h, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann ST154A +/-7°, 1,1/8", diam.31.8mm, lenght: 80mm-15/17", 90mm for 19/21", 3D forged alloy 6061
HANDLEBAR	Velomann Flat top MTB11AFS, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-One T-GP48B, one piece grip, TPR material, 130mm
SEATPOST	Velomann SP-7019, diam.27,2mm, 0mm seatback, lenght 350mm, AL2014 shaft, alloy head,
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch cover

MAGMA 9.2- ALIVIO 2X9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBW2
COLOR	6K: CK16/ Black-White Full Glossy MB: Black Frame/ Silver-Yellow Dec Matt
FRAME	MAGMA 29" alu, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31,8mm bottom pull or Side-Swing, PM 160mm disc lower mounting dropouts 9x135mm QR, internal cable routing, sizes 15-17-19-21"
SEATPOST CLAMP	Promax 339QX diam.31,8mm, alloy clamp & lever
HEADSET	Fsa steel cups ID diam.44mm w/16.2mm top cover, top & bottom depth 9mm, stack height 22.2mm
FORK	XCM HLO DS 29" 100mm, with HLO Hydraulic lockout, 1.1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Alivio SL-M3100 2x9sp RapidFire Plus, w/1800-2050mm inner
REAR DERAILLEUR	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max
CRANKSET	Shimano FC-MT101-2, 36/22T w/o chainguard, crank lenght: 170mm-15/17" and 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB
BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm) w/o fixing bolt
CHAIN	HV900 (Z9) 9s, 1/2"x11/128"
CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R), resin pad
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, w/QR
REAR HUB	CL-1422 for Center Lock for Shimano MTB 8/9/10/11-SPEED, 32h 135mm OLD, loose balls, axle lenght 145mm, w/QR
RIM/WHEELSET	VelomannDP2.5, 622x25c, 32h, anodized, no eyelet, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann ST92A +/-7°, 1,1/8 x diam.31.8mm, ext: 80mm-15/17" and 90mm for 19/21", 3D forged alloy 6061
HANDLEBAR	Velomann rise MTB479A, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061 sandblasted anodized
GRIP / TAPE	T-One T-GP48B, one piece grip, TPR material, 130mm
SEATPOST	Velomann SP-7019, diam.27,2mm, 0mm seatback, lenght 350mm, AL2014 shaft, alloy head
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch cover

DUEL 29S - ALIVIO 2X9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBC8
COLOR	DA:CK16/Azzurra Blue Full Glossy DB: Serial Black/Azzurra Blue Full Glossy
FRAME	Duel 29" alu, curved TT PG, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, external cable routing under TT, sizes 15-17-19-21"
SEATPOST CLAMP	Promax 339QX diam.31,8mm, alloy clamp & lever
HEADSET	Fsa steel cups ID diam.44mm w/16.2mm top cover, top & bottom depth 9mm, stack height 22.2mm
FORK	XCM HLO DS 29" 100mm, with HLO Hydraulic lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Alivio SL-M3100 2x9sp RapidFire Plus, w/1800-2050mm inner
REAR DERAILLEUR	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design, max 11-36T
FRONT DERAILLEUR	Shimano FD-M2020-TS low clamp diam.31,8mm, dual pull, 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm
CRANKSET	Shimano FC-MT101-2, 36/22T, crank lenght: 170mm-15/17" and 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB
BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm)
CHAIN	HV900 (Z9) 9sp, 1/2"x11/128"
CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter adapter for IS 160mm, resin pad
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, w/QR
REAR HUB	CL-1422 for Center Lock for Shimano MTB 8/9/10/11-SPEED, 32h 135mm OLD, loose balls, axle lenght 145mm, w/QR
RIM/WHEELSET	Velomann DP2.5, 584x25c, 32h, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann ST92A +/-7°, 1.1/8 x diam.31.8mm, ext: 80mm-15/17" and 90mm-19/21", 3D forged alloy 6061
HANDLEBAR	Velomann rise MTB479A, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061 sandblasted anodized
GRIP / TAPE	T-One T-GP48B, one piece grip, TPR material, 130mm
SEATPOST	Velomann SP-7019, diam.27,2mm, 0mm seatback, lenght: 300mm-15" and 350mm-17/21", AL2014 shaft, alloy head
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch cover

DUEL 27S - ALIVIO 2X9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBC7
COLOR	DA:CK16/Azzurra Blue Full Glossy DB: Serial Black/Azzurra Blue Full Glossy
FRAME	Duel 27,5" alu, curved TT PG, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"
SEATPOST CLAMP	Promax 339QX diam.31,8mm, alloy clamp & lever
HEADSET	Fsa steel cups ID diam.44mm w/16.2mm top cover, top & bottom depth 9mm, stack height 22.2mm
FORK	XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Alivio SL-M3100 2x9sp RapidFire Plus, w/1800-2050mm inner
REAR DERAILLEUR	Shimano Alivio 9sp, RDM3100 SGS top-normal, direct attachment, Shadow Design, max 11-36T
FRONT DERAILLEUR	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9sp, dual pull, 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm
CRANKSET	Shimano FC-MT101-2, 36/22T w/o chainguard, crank lenght: 170mm-15/17" and 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB
BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm)
CHAIN	HV900 (Z9) 9sp, 1/2"x11/128"
CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter adapter for IS 160mm, resin pad
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, w/QR
REAR HUB	CL-1422 for Center Lock for Shimano MTB 8/9/10/11-SPEED, 32h 135mm OLD, loose balls, axle lenght 145mm, w/QR
RIM/WHEELSET	Velomann DP2.5, 584x25c, 32h, Presta valve hole
TIRE	Kenda Booster - 27,5x2.2, DTC compound, 30Tpi, wire, ETRTO 56-584
STEM	Velomann ST92A +/-7°, 1.1/8", diam.31.8mm, ext: 80mm-15/17" and 90mm-19/21", 3D forged alloy 6061
HANDLEBAR	Velomann rise MTB479A, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061 sandblasted anodized
GRIP / TAPE	T-One T-GP48B, one piece grip, TPR material, 130mm
SEATPOST	Velomann SP-7019, diam.27,2mm, 0mm seatback, lenght: 300mm-15" and 350mm-17/21", AL2014 shaft, alloy head
SADDLE	Velomann 2058DRN, 140mm width, Steel rails black, PVC soft touch cover

CITY-FITNESS

C SPORT



C9: Rocks Sand/Black Matt/Gloss



NEW COLORS



NEW LOGO

C SPORT



CC: CK16/Dark Turquoise Full Glossy



NEW COLORS



NEW LOGO

C SPORT CROSS - ACERA 24SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBB2
COLOR	C9: Rocks Sand/Black Matt/Glossy
FRAME	C-Sport Cross Alu, 700C OLD 135mm, integrated cable routing, Smooth Welding, 1.1/8" semintegrated headset, seat tube diam. 31.6mm, size: 43/47/51/55cm
SEATPOST CLAMP	MX-112C 34.9mm alloy
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	SR Suntor SF16-NEX-HLO-DS-700C, 1.1/8" Steel steerer, Steel stanchion, alloy blades, 63mm travel, w/hydraulic lock
SHIFTER	Shimano ST-EF505 3x8sp
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, Direct Attachment
FRONT DERAILLEUR	Shimano FD-TY700-TS3, Tourney, Top-Swing, Dual-Pull, For Rear 7/8-SPspeed, Band Type (34.9mm), 63-66°, For 42T, CL: 47.5/50mm
CRANKSET	Shimano FC-TY301 42x34x24T, Crank lenght: 170mm-43/47cm, 175mm-51/55/59cm
BOTTOM BRACKET	Shimano BB-UN101, Spindle:Square Type, Shell:BSA 68mm,Spindle:122.5mm
CHAIN	Kmc Z-72 8sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE	INCLUDED IN L/SHIFTER
BRAKE LEVER	Included w/brakeset
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, OLD 100mm, w/QR
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, OLD 135mm, w/QR
RIM/WHEELSET	AlexRims ATD500 disc, alloy, 700c 622x19 32H, tubeless ready
TIRE	Kenda 700x38, 30TPI, w/Kshield 3mm antipuncture insert
STEM	3D forged AL6061, 12°, 31.8mm, ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, width: 620mm, flat bar, 9° bend, 31.8mm
GRIP / TAPE	Bianchi Ergonomic Double density, 131,6mm
SEATPOST	Alloy shaft AL6061, alloy head, 15mm offset, diam. 31.6mm
SADDLE	Selle Royal, 269mm x 146mm, steel rail, black-ck semi PU cover

C SPORT CROSS - STEP THRU ACERA 24SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBB3
COLOR	C9: Rocks Sand/Black Matt/Glossy
FRAME	C-Sport Cross StepThru alu disc, 700C OLD 135mm, integrated cable routing, Smooth Welding, 1.1/8" semintegrated headset, seat tube diam. 31.6mm, size: 43/47/51cm
SEATPOST CLAMP	MX-112C alloy, 34.9mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	SR Suntor SF16-NEX-HLO-DS-700C, 63mm travel, Disc, 1.1/8" Steel steerer, steel stanchions, alloy bladesw, w/hydraulic lock
SHIFTER	Shimano ST-EF505 3x8sp
REAR DERAILEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment
FRONT DERAILEUR	Shimano Tourney FD-TY700-TS3, Top-Swing, Dual-Pull, Band Type (34.9mm), 63-66°, For 42T, CL: 47.5/50mm
CRANKSET	Shimano FC-TY301, 42x34x24T, Crank lenght: 170mm-43/47cm, 175mm-51/55/59cm
BOTTOM BRACKET	Shimano BB-UN101, Spindle:Square Type, Shell:BSA 68mm, Spindle:122.5mm
CHAIN	Kmc Z-72 8sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE	INCLUDED IN L/SHIFTER
BRAKE LEVER	Included w/brakeset
DISC ROTOR	Shimano SM-RT10 diam. 160mm, Center Lock, Resin Pad only
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, OLD 100mm w/QR
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, OLD 135mm w/QR
RIM/WHEELSET	AlexRims ATD500 disc, alloy, 700c 622x19 32H, tubeless ready
TIRE	Kenda 700x38, 30TPI, w/Kshield 3mm antipunctures insert
STEM	3D forged AL6061, 12°, 31.8mm, ext: 70mm-43cm, 100mm -47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, width 620mm, flat bar, 9° bend, 31.8mm
GRIP / TAPE	Bianchi Ergonomic Double density, 131,6mm
SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm
SADDLE	Selle Royal black-ck cover

C SPORT- ALIVIO 2X9SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB55
COLOR	CC: CK16/Dark Turquoise Full Glossy C9: Rocks Sand/Black Matt/Glossy
FRAME	C-SPORT alu disc frame, 700C Old 135mm, integrated cable routing, Smooth Welding, 1.1/8" headset (semi-integrated down HT tube and integrated in top top HT tube). Seat tube 31.6mm, size: 43,47, 51, 55, 59
SEATPOST CLAMP	MX-112C alloy, diam. 34.9mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	Alu Disc, 1.1/8", Post mount, max tire size 700x40c
SHIFTER	Shimano Alivio SL-M3100 2x9sp
REAR DERAILLEUR	Shimano Alivio , RD-T4000-SGS 9sp, Top Normal, Direct Attachment
FRONT DERAILLEUR	Shimano Acera FD-T3000-2-TS3
CRANKSET	Shimano FC-MT210-2 46-30T, crank lenght: 170mm-43/47cm, 175mm-51/59cm
BOTTOM BRACKET	Included in the crankset
CHAIN	Kmc Z-99 9sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano Altus BR-MT200, resin pad
BRAKE LEVER	Included w/brakeset
FRONT HUB	Formula CL-1420 Center lock, 32hole, w/QR
REAR HUB	Formula CL-1422 Center lock, 32hole, w/QR
RIM/WHEELSET	Alex Rim ATD500 disc version, alloy, 700c 622x19, 32h, tubeless ready
TIRE	Kenda Kwick Tendril 700x38 , 60TPI, w/3mm Kshield antipuncture insert
STEM	3D forged 6061 Alloy, 12° 31,8mm 1.1/8", ext: 70mm-43cm, 10mm-47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
GRIP / TAPE	Ergonomic Double density
SEATPOST	AL6061, alloy head, 15mm offset, 31,6mm
SADDLE	Selle Royal, 269mm x 146mm, steel rail, black-ck semi PU cover
PEDALS	TPE tread axle 7mm boron steel EPB system size 111x84mm w/reflector

C SPORT- ACERA 24SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBD3
COLOR	CC: CK16/Dark Turquoise Full Glossy C9: Rocks Sand/Black Matt/Glossy
FRAME	C-SPORT alu disc frame, 700C Old 135mm, integrated cable routing, Smooth Welding, 1.1/8" headset (semi-integrated down HT tube and integrated in top top HT tube). Seat tube 31.6mm, size: 43,47, 51, 55, 59
SEATPOST CLAMP	MX-112C alloy, diam. 34.9mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	Alu Disc, 1.1/8", Post mount, max tire size 700x40c
SHIFTER	
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3,Top-Swing, Dual-Pull, Band Type (34.9mm), 63-66", For 42T, CL: 47.5/50mm
CRANKSET	Shimano FC-TY301, 42x34x24T, crank lenght: 170mm-43/47cm, 175mm-51/55/59cm
BOTTOM BRACKET	Shimano BB-UN101, Spindle: Square Type, Shell: BSA 68mm, Spindle:122.5mm
CHAIN	Kmc Z-72 8sp
CASSETTE / FREEWHEEL	Cassette Sprocket, CS-HG200-8, 8-Speed, 12-14-16-18-21-24-28-32(BR), Bulk
BRAKE	INCLUDED IN L/SHIFTER
BRAKE LEVER	Included w/brakeset
DISC ROTOR	Shimano SM-RT10 diam.160mm, Center Lock, Resin Pas only
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, OLD 100mm, with QR
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, OLD 135mm, with QR
RIM/WHEELSET	Alex Rim ATD500 disc version, alloy, 700c 622x19, 32h, tubeless ready
TIRE	Kenda Kwick Tendril 700x38c, 60Tpi, w/Kshield 3mm antipunctures insert
STEM	3D forged 6061 Alloy, 12° 31,8mm 1.1/8", ext: 70mm-43cm, 10mm-47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, width: 620mm, flat bar, 9° bend, 31.8mm
GRIP / TAPE	Bianchi Ergonomic Double density
SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam.31.6mm
SADDLE	Selle Royal, 269mm x 146mm, steel rail, black-ck semi PU cover

C SPORT - STEP THRU ACERA 24SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRBD9
COLOR	CC: CK16/Dark Turquoise Full Glossy C9: Rocks Sand/Black Matt/Glossy
FRAME	C-SPORT StepThru alu disc frame, 700C Old 135mm, integrated cable routing, Smooth Welding, 1.1/8" headset (semi-integrated down HT tube and integrated in top top HT tube). Seat tube 31.6mm, size: 43,47, 51, 55, 59
SEATPOST CLAMP	MX-112C alloy, diam. 34.9mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	Alu Disc, 1.1/8", Post mount, max tire size 700x40c
SHIFTER	Shimano ST-EF505 3x8sp
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3,Top-Swing, Dual-Pull, Band Type (34.9mm), 63-66°, For 42T, CL: 47.5/50mm
CRANKSET	Shimano FC-TY301, 42x34x24T, crank lenght: 170mm-43/47cm, 175mm-51/55/59cm
BOTTOM BRACKET	Shimano BB-UN101, Spindle: Square Type, Shell: BSA 68mm, Spindle:122.5mm
CHAIN	Kmc Z-72 8sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE	INCLUDED IN L/SHIFTER
BRAKE LEVER	Included w/brakeset
DISC ROTOR	Shimano SM-RT10 diam.160mm, Center Lock, Resin Pas only
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, OLD 100mm, with QR
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, OLD 135mm, with QR
RIM/WHEELSET	Alex Rim ATD500 disc version, alloy, 700c 622x19, 32h, tubeless ready
TIRE	Kenda Kwick Tendril 700x38c, 60Tpi, w/Kshield 3mm antipunctures insert
STEM	3D forged 6061 Alloy, 12" 31,8mm 1.1/8", ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, width: 620mm, flat bar, 9° bend, 31.8mm
GRIP / TAPE	Bianchi Ergonomic Double density, 131.6mm
SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam.31.6mm
SADDLE	Selle Royal black-ck cover

C SPORT - STEP THROUGH ALTUS 24SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YRB63
COLOR	C1: CK16/Black Full Matt
FRAME	C-SPORT StepThru alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, Smooth Welding, 1.1/8" headset (semintegrated down HT tube and integrated in top top HT tube), seat tube diam.31.6mm, size:43,47,51,55cm
SEATPOST CLAMP	MX-112C alloy, diam.34.9mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm
FORK	Alu Disc, 1.1/8", Post mount, max tire size 700x40c
SHIFTER	Shift/Brake Lever, ST-TX800-L, Tourney TX, Left, 3-Speed 1800mm Inner EZ-FIRE PLUS, 2F-Steel/Resin, For V-Brake, Black, Bulk Shift/Brake Lever, ST-TX800-R, Tourney TX, Right, 8-Speed 2050mm Inner EZ-FIRE PLUS, 2F-Steel/Resin, For V-Brake, Black, Bulk
REAR DERAILLEUR	Shimano RD-M310-L, 8sp, Direct Attachment
FRONT DERAILLEUR	Shimano FD-TY700-TS3, Tourney, Top-Swing, Dual-Pull, 8sp, Band Type (34.9mm), 63-66°, For 42T, CL: 47.5/50mm
CRANKSET	Shimano FC-TY301, 42x34x24T, Crank lenght: 170mm-43/47cm, 175mm-51/55/59cm
BOTTOM BRACKET	Shimano BB-UN101, Spindle:Square Type, Shell:BSA 68mm,Spindle:122.5mm
CHAIN	Kmc Z-72 8sp
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 8sp, 12-14-16-18-21-24-28-32T
BRAKE	Shimano BR-TX805, Tourney TX, Front or Rear W/O Adapter
BRAKE LEVER	Included in L/Shifter
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, OLD 100mm, w/QR
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, OLD 135mm, w/QR
RIM/WHEELSET	Alex Rim ATD500 disc version, alloy, 700c 622x19, 32h, tubeless ready
TIRE	Kenda Kwick Tendril , 700x38c , 30Tpi
STEM	3D forged 6061 Alloy, 12° 31,8mm 28,6mm, ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HANDLEBAR	Alloy 6061 DB, 620mm, flat bar, 9° bend, diam. 31.8mm
GRIP / TAPE	Bianchi Ergonomic Double, 131,6mm
SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm
SADDLE	Selle Royal black-ck cover

SPILLO DELUXE - STEP THRU 21SP (AVAILABLE ONLY IN ITALY)



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YEB5M
COLOR	LK: celeste vinateg Glossy
FRAME	Spillo Alloy StepThru, 1.1/8", sizes 43-47-51cm
FORK	28"RIGID ST THREAD 1.1/8", w/light support
HANDLEBAR	Alloy, widt 590mm, rise 26mm, diam. 25.4mm, 33° backsweep
STEM	Alloy, adjustable diam.25.4mm, ext: 90mm, quill lengh: 180mm
GRIP	Hermans 120mm
MUDGUARD	CP. PF. CTB 28/46MM SILVER (30) 2xZ3 C/PARASPRUZZI POST, C/ACC. INOX, 2xSECU CLIP,ASTA -V- INOX d. 3,30MM AISI 304
REAR CARRIER	Steel
FRONT CARRIER	28"MODEL YUEN YFS05C00 STEEL SILVER C8205491 -SV SPECIAL CODE FOR CYCLEUROPE C8205491SV
TIRE	CST Xpedium 700X38, 40-622 , 27TPI
SEAT POST	Alloy silver, diam.27.2mm, lenght 350mm
SADDLE	Selle Royal Rio Plus, steel rails
SEAT CLAMP	diam.31.8mm
CHAIN	Kmc Z51 7sp
CRANK SET	w/48x38x28T, crank lenght: 170mm
HEADSET	1.1/8", Steel
FRONT HUB	Alloy, 36h, 9x100x108 w/QR
REAR HUB	Alloy, 36h, 135x145, w/QR
RIM	Alloy double wall, 622x19, 36 holes
PEDAL	Included
REAR DERAILEUR	Shimano Tourney RD-TY500 7sp, direct attachment
FRONT DERAILEUR	Shimano Tourney FD-TY510-TS3, top-swing w/31.8mm adapter, 63-66° for 48T, CL: 47.5/50mm
SHIFT BRAKE LEVER	SHIFT/BRAKE LEVER, ST-EF500-7R, RIGHT 7-SPEED 2050MM EZ-FIRE PLUS, 2F-ALLOY, FOR V-BRAKE, BLACK , BULK
SHIFT BRAKE LEVER	SHIFT/BRAKE LEVER, ST-EF500-L, LEFT 3-SPEED 1800MM EZ-FIRE PLUS, 2F-ALLOY, FOR V-BRAKE,
FREEWHEEL	Shimano TZ500 7 sp, 14-28T
BRAKE	PROMAX TX-122: 101MM SILVER W/O LOGO FRONT+ REAR 90/1 AND 110/1 PIPES ENM W/ID 5MM PIPE CAP
KICKSTAND	Alloy, adjustable
FRONT LIGHT	Spanninga Illico w/battery
REAR LIGHT	Basta Spark Red w/batteries

SPILLO DELUXE - 21SP (AVAILABLE ONLY IN ITALY)



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YEB5L
COLOR	LK: celeste vinateg Glossy
FRAME	Spillo Alloy, 1.1/8", sizes: 47-51-55cm
FORK	28"RIGID ST THREAD 1.1/8" w/light support
HANDLEBAR	Alloy, width 590mm, rise 26mm, diam.25.4mm, 33° backsweep
STEM	Alloy, adjustable diam.25.4mm, ext: 90mm, quill lenght:180mm
GRIP	Herrmans 120mm
MUDGUARDS	CP. PF. CTB 28/46MM SILVER (30) 2xZ3 C/PARASPRUZZI POST, C/ACC. INOX, 2xSECU CLIP,ASTA -V- INOX d. 3,30MM AISI 304
REAR CARRIER	Steel
TIRE	CST Xpedium 700x38, 40-622, 27TPI
SEATPOST	Alloy, diam.27.2mm, lenght 350mm
SADDLE	Selle Royal Rio, steel rails
SEAT CLAMP	diam.31.8mm w/QR
CHAIN	Kmc Z51 7sp
CRANK SET	w/48x38x28T, crank lenght: 170mm
HEADSET	1.1/8", Steel
FRONT HUB	Alloy, 36h, 9x100x108mm w/QR
REAR HUB	Alloy, 36h, 135x145mm, w/QR
RIM	Alloy double wall, 622x19, 36 holes
PEDAL	Included
REAR DERAILLEUR	Shimano Tourney RD-TY500 7sp, direct attachment
FRONT DERAILLEUR	Shimano Tourney FD-TY510-TS3, top-swing, w/31.8mm adapter, 63-66° for 48T, CL:47.5/50mm
SHIFT BRAKE LEVER	SHIFT/BRAKE LEVER, ST-EF500-7R, RIGHT 7-SPEED 2050MM EZ-FIRE PLUS, 2F-ALLOY, FOR V-BRAKE, BLACK , BULK
SHIFT BRAKE LEVER	SHIFT/BRAKE LEVER, ST-EF500-L, LEFT 3-SPEED 1800MM EZ-FIRE PLUS, 2F-ALLOY, FOR V-BRAKE,
FREEWHEEL	Shimano TZ500 7 sp, 14-28T
BRAKE	PROMAX TX-122: 101MM SILVER W/O LOGO FRONT+ REAR 90/1 AND 110/1 PIPES ENM W/ID 5MM PIPE CAP
KICKSTAND	Alloy, adjustable
FRONT LIGHT	Spanninga Illico w/battery
REAR LIGHT	Basta Spark Red w/batteries



BIANCHI

MEMBER OF



F.I.V.E BIANCHI S.P.A

VIA DELLE BATTAGLIE, 5 24047 TREVIGLIO / BG - T +39 0363 3161 - F + 39 0363 075045
bianchi@bianchi.com